


🕜 Tel: +1-301-363-4651 🛛 🖂 Email: cusabio@cusabio.com 📀 Website: www.cusabio.com 🌘

## EIF3M Antibody

Product Code	CSB-PA745333LA01HU
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	Q7L2H7
Immunogen	Recombinant Human Eukaryotic translation initiation factor 3 subunit M protein (2-374AA)
Raised In	Rabbit
Species Reactivity	Human, Rat
Tested Applications	ELISA, WB, IHC, IF; Recommended dilution: WB:1:500-1:5000, IHC:1:20-1:200, IF:1:50-1:200
Form	Liquid
Conjugate	Non-conjugated
Storage Buffer	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, pH 7.4
Purification Method	>95%, Protein G purified
Isotype	lgG
Clonality	Polyclonal
Alias	Eukaryotic translation initiation factor 3 subunit M (eIF3m) (Fetal lung protein B5) (hFL-B5) (PCI domain-containing protein 1), EIF3M, HFLB5 PCID1
Immunogen Species	Homo sapiens (Human)
Research Area	Microbiology
Target Names	EIF3M

Image




## Western Blot

Positive WB detected in: Hela whole cell lysate, HepG2 whole cell lysate, A549 whole cell lysate, Rat heart tissue, Rat spleen tissue All lanes: EIF3M antibody at 2.7µg/ml Secondary Goat polyclonal to rabbit IgG at 1/50000 dilution Predicted band size: 43, 28 kDa Observed band size: 43 kDa


1




🕜 Tel: +1-301-363-4651 🛛 🗵 Email: cusabio@cusabio.com 📀 Website: www.cusabio.com 🍙



Immunohistochemistry of paraffin-embedded human testis tissue using CSB-PA745333LA01HU at dilution of 1:100



Immunohistochemistry of paraffin-embedded human pancreatic cancer using CSB-PA745333LA01HU at dilution of 1:100



Immunofluorescent analysis of HepG2 cells using CSB-PA745333LA01HU at dilution of 1:100 and Alexa Fluor 488-congugated AffiniPure Goat Anti-Rabbit IgG(H+L)