




GPIHBP1 Antibody

Product Code	CSB-PA811603LA01HU
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	Q8IV16
Immunogen	Synthesized peptide derived from human HDBP1
Raised In	Rabbit
Species Reactivity	Human, Mouse
Tested Applications	ELISA, WB, IHC; Recommended dilution: WB:1:500-1:2000, IHC:1:50-1:200
Form	Liquid
Storage Buffer	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Purification Method	Antigen affinity purification
Isotype	IgG
Clonality	Polyclonal
Product Type	Polyclonal Antibody
Immunogen Species	Homo sapiens (Human)
Research Area	Cardiovascular
Target Names	GPIHBP1

Image



Western Blot

Positive WB detected in: U87 whole cell lysate(30µg), LO2 whole cell lysate(30µg), 293 whole cell lysate(30µg), HeLa whole cell lysate(30µg), 293T whole cell lysate(30µg), 786-O whole cell lysate(30µg), Mouse Kidney tissue lysate(30µg), Mouse Fat tissue lysate(30µg)

All lanes: GPIHBP1 antibody at 1:1000


Secondary

Goat polyclonal to rabbit IgG at 1/20000 dilution

Predicted band size: 20 kDa

Observed band size: 25 kDa

Exposure time: 120s



IHC image of CSB-PA811603LA01HU diluted at 1:100 and staining in paraffin-embedded human adrenal gland tissue performed on a Leica Bond™ system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a Goat anti-rabbit polymer IgG labeled by HRP and visualized using 0.05% DAB. Secondary antibody only control: uses 1% BSA instead of



primary antibody

Usage

For Research Use Only. Not for use in diagnostic or therapeutic procedures.