




# CCR3 Antibody

<b>Product Code</b>	CSB-PA004842LA01HU
<b>Storage</b>	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
<b>Uniprot No.</b>	P51677
<b>Immunogen</b>	Recombinant Human C-C chemokine receptor type 3 protein (306-355AA)
<b>Raised In</b>	Rabbit
<b>Species Reactivity</b>	Human, Mouse
<b>Tested Applications</b>	ELISA, WB, IHC, IF; Recommended dilution: WB:1:500-1:5000, IHC:1:20-1:200, IF:1:50-1:200
<b>Form</b>	Liquid
<b>Conjugate</b>	Non-conjugated
<b>Storage Buffer</b>	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, pH 7.4
<b>Purification Method</b>	>95%, Protein G purified
<b>Isotype</b>	IgG
<b>Clonality</b>	Polyclonal
<b>Alias</b>	C-C chemokine receptor type 3 (C-C CKR-3) (CC-CKR-3) (CCR-3) (CCR3) (CKR3) (Eosinophil eotaxin receptor) (CD antigen CD193), CCR3, CMKBR3
<b>Immunogen Species</b>	Homo sapiens (Human)
<b>Research Area</b>	Immunology
<b>Target Names</b>	CCR3

## Image



### Western Blot

Positive WB detected in: Mouse liver tissue


All lanes: CCR3 antibody at 3μg/ml

### Secondary


Goat polyclonal to rabbit IgG at 1/50000 dilution

predicted band size: 42, 44 kDa

observed band size: 42 kDa



Immunohistochemistry of paraffin-embedded human liver tissue using CSB-PA004842LA01HU at dilution of 1:100



Immunofluorescent analysis of A549 cells using CSB-PA004842LA01HU at dilution of 1:100 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L)