




# HSD3B7 Antibody

<b>Product Code</b>	CSB-PA861999LA01HU
<b>Storage</b>	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
<b>Uniprot No.</b>	Q9H2F3
<b>Immunogen</b>	Recombinant Human 3 beta-hydroxysteroid dehydrogenase type 7 protein (131-197AA)
<b>Raised In</b>	Rabbit
<b>Species Reactivity</b>	Human, Mouse
<b>Tested Applications</b>	ELISA, WB, IF; Recommended dilution: WB:1:500-1:5000, IF:1:50-1:200
<b>Form</b>	Liquid
<b>Conjugate</b>	Non-conjugated
<b>Storage Buffer</b>	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, pH 7.4
<b>Purification Method</b>	>95%, Protein G purified
<b>Isotype</b>	IgG
<b>Clonality</b>	Polyclonal
<b>Alias</b>	3 beta-hydroxysteroid dehydrogenase type 7 (3 beta-hydroxysteroid dehydrogenase type VII) (3-beta-HSD VII) (3-beta-hydroxy-Delta(5)-C27 steroid oxidoreductase) (C(27) 3-beta-HSD) (EC 1.1.1.-) (Cholest-5-ene-3-beta,7-alpha-diol 3-beta-dehydrogenase) (EC 1.1.1.181), HSD3B7
<b>Immunogen Species</b>	Homo sapiens (Human)
<b>Research Area</b>	Signal Transduction
<b>Target Names</b>	HSD3B7

## Image



### Western Blot

Positive WB detected in: Mouse liver tissue,  
Mouse kidney tissue


All lanes: HSD3B7 antibody at 3.5µg/ml

Secondary

Goat polyclonal to rabbit IgG at 1/50000 dilution

Predicted band size: 42, 22 kDa

Observed band size: 42 kDa



Immunofluorescent analysis of HepG2 cells using CSB-PA861999LA01HU at dilution of 1:100 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L)

## Usage

For Research Use Only. Not for use in diagnostic or therapeutic procedures.