




# TGFB111 Antibody

<b>Product Code</b>	CSB-PA13049A0Rb
<b>Storage</b>	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
<b>Uniprot No.</b>	O43294
<b>Immunogen</b>	Recombinant Human Transforming growth factor beta-1-induced transcript 1 protein (138-200AA)
<b>Raised In</b>	Rabbit
<b>Species Reactivity</b>	Human
<b>Tested Applications</b>	ELISA, WB, IHC; Recommended dilution: WB:1:500-1:5000, IHC:1:20-1:200
<b>Form</b>	Liquid
<b>Conjugate</b>	Non-conjugated
<b>Storage Buffer</b>	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, pH 7.4
<b>Purification Method</b>	>95%, Protein G purified
<b>Isotype</b>	IgG
<b>Clonality</b>	Polyclonal
<b>Alias</b>	Transforming growth factor beta-1-induced transcript 1 protein (Androgen receptor coactivator 55 kDa protein) (Androgen receptor-associated protein of 55 kDa) (Hydrogen peroxide-inducible clone 5 protein) (Hic-5), TGFB111, ARA55
<b>Immunogen Species</b>	Homo sapiens (Human)
<b>Research Area</b>	Others
<b>Target Names</b>	TGFB111

## Image



### Western Blot


Positive WB detected in: HEK293 whole cell lysate

All lanes: TGFB111 antibody at 3.2µg/ml  
Secondary

Goat polyclonal to rabbit IgG at 1/50000 dilution

Predicted band size: 50, 48 kDa

Observed band size: 50 kDa



Immunohistochemistry of paraffin-embedded human cervical cancer using CSB-PA13049A0Rb at dilution of 1:100

---

**Usage**

For Research Use Only. Not for use in diagnostic or therapeutic procedures.