



Recombinant Rat Fibrinogen beta chain (Fgb)

Product Code	CSB-EP008608RA-B
Storage	Store at -20°C, for extended storage, conserve at -20°C or -80°C.
Uniprot No.	P14480
Product Type	Recombinant Protein
Immunogen Species	Rattus norvegicus (Rat)
Purity	≥85% (SDS-PAGE)
Sequence	GHRPVDRR KEEPPLRPA PPPISGGGYR ARPAKVDAGQ KKVERKPPDA GGCVHGDGDM GVLCP TGCEL RQTLLNHERP IKNSIAELNS NINSVSETSS VTFQYLTLK DMWKKKQAQV KDNENVINEY SSILEDQKLY IDETVNDNIP LNLRLRSIL EDLRSKIQL ESDISAQTEY CHTPCTVNCN IPVVSGKECE EIIRKGGETS EMYLIQPDTS SKPYRVYCDM KTENGGWTVI QNRQDGSVDF GRKWDPYKKG FGNIATNEDT KKYCGLPGEY WLGNDKISQL TRIGPTTELLI EMEDWKGDKV KAHYGGFTVQ TEANKYQVSV NKYKGTAGNA LMEGASQLVG ENRTMTIHNG MFFSTYDRDN DGWVTTDPRK QCSKEDGGGW WYNRCHAANP NGRYYWGGLY SWDMSKHGTD DGVVWMNWKG SWYSMRRMSM KIRPVFPQQ
Source	E.coli
Target Names	Fgb
Protein Names	Recommended name: Fibrinogen beta chain Alternative name(s): Liver regeneration-related protein LRRG036/LRRG043/LRRG189 Cleaved into the following 2 chains: 1. Fibrinopeptide B 2. Fibrinogen beta chain
Expression Region	33-479
Notes	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
Tag Info	Tag type will be determined during the manufacturing process.
Protein Length	Full Length of Mature Protein
Target Details	This protein is the beta component of fibrinogen, a blood-borne glycoprotein comprised of three pairs of nonidentical polypeptide chains. Following vascular injury, fibrinogen is cleaved by thrombin to form fibrin which is the most abundant component of blood clots. In addition, various cleavage products of fibrinogen and fibrin regulate cell adhesion and spreading, display vasoconstrictor and chemotactic activities, and are mitogens for several cell types. Mutations in this gene lead to several disorders, including afibrinogenemia, dysfibrinogenemia, hypodysfibrinogenemia and thrombotic tendency.
Reconstitution	We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final



concentration of glycerol is 50%. Customers could use it as reference.

Shelf Life

The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself.

Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.