



Recombinant Rat Fibrinogen alpha chain (Fga)

Product Code	CSB-YP008607RA
Storage	Store at -20°C, for extended storage, conserve at -20°C or -80°C.
Uniprot No.	P06399
Product Type	Recombinant Protein
Immunogen Species	Rattus norvegicus (Rat)
Purity	≥85% (SDS-PAGE)
Sequence	<p>GPRI VERQPSQCKE TDWPFCSDED WNHKCPGCR MKGLIDEANQ DFTNRINKLK NSLDFQKNN KDSNSLTRNI MEYLRGDFAN ANNFDNTFGQ VSEDLRRRIQ ILKRKVIEKA QQIQVLQKDV RDQLIDMKRL EVDIDIKIRS CKGSCRSVS REINLKDYEG QKQLEQVIA KDLLPAKDRQ YLPAIKMSPV PDLVPGSFKS QLQEGPPEWK ALTEMRQMRM ELERPGKDGA SRGDLPGDSR GDSATRPGPGS KIENPMTPGH GSGYWRPGS SGSGSDGNWG SGTGSDDTG TWGAGSSRPS SGSGNLKPSN PDWGEFSEFG GSSSPATRKE YHTGKLVTSK GDKELLIGNE KVTSTGTSTT RRSCSKTITK TVLGNDGHRE VVKEVVTSSD GSDCGDGM DLGLTHSFSGRL DELSRMHPEL GSFYDSRFGS LTSNFKEFGS KTSDDSDIFTD IENPSSHVPE FSSSKTSTV RKQVTKSYKM ADEAASEAHQ EGDTRTTKRG RARTMRDCDD VLQTHPSGAQ NGIFSIKLPG SSKIFSVYCD QETSLGGWLL IQQRMDGSLN FNRTWQDYKR GFGSLNDKGE GEFWLGNDYL HLLTLRGSVL RVELEDWAGK EAYA EYHFRV GSEAEGYALQ VSSYQGTAGD ALMEGSVEEG TEYTSHSNMQ FSTFDRDADQ WEENCAEVYV GGWWYNQCQA ANLNGIYYPG GTYDPRNNSP YEIENGVLWV PFRGADYSLW AVRMKIRPLV GQ</p>
Source	Yeast
Target Names	Fga
Protein Names	Recommended name: Fibrinogen alpha chain Cleaved into the following 2 chains: 1. Fibrinopeptide A 2. Fibrinogen alpha chain
Expression Region	37-782
Notes	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
Tag Info	Tag type will be determined during the manufacturing process.
Protein Length	Full Length of Mature Protein
Target Details	This protein is the alpha component of fibrinogen, a blood-borne glycoprotein comprised of three pairs of nonidentical polypeptide chains. Following vascular injury, fibrinogen is cleaved by thrombin to form fibrin which is the most abundant component of blood clots. In addition, various cleavage products of fibrinogen and fibrin regulate cell adhesion and spreading, display vasoconstrictor and chemotactic activities, and are mitogens for several cell types. Mutations in this gene lead to several disorders, including dysfibrinogenemia, hypofibrinogenemia, afibrinogenemia and renal amyloidosis.



Alternative splicing results in two isoforms which vary in the carboxy-terminus.

Reconstitution

We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.

Shelf Life

The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself.

Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.