


🕜 Tel: +1-301-363-4651 🛛 🗵 Email: cusabio@cusabio.com 📀 Website: www.cusabio.com 🍙

POFUT2 Antibody

Product Code	CSB-PA837737LA01HU
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	Q9Y2G5
Immunogen	Recombinant Human GDP-fucose protein O-fucosyltransferase 2 protein (125-271AA)
Raised In	Rabbit
Species Reactivity	Human
Tested Applications	ELISA, WB, IHC; Recommended dilution: WB:1:500-1:5000, IHC:1:200-1:500
Form	Liquid
Conjugate	Non-conjugated
Storage Buffer	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, pH 7.4
Purification Method	>95%, Protein G purified
Isotype	IgG
Clonality	Polyclonal
Alias	GDP-fucose protein O-fucosyltransferase 2 (EC 2.4.1.221) (Peptide-O- fucosyltransferase 2) (O-FucT-2), POFUT2, C21orf80 FUT13 KIAA0958
Immunogen Species	Homo sapiens (Human)
Research Area	Tags & Cell Markers
Target Names	POFUT2
Image	Western Blot Positive WB detected in: U87 whole cell lysate




1




CUSABIO TECHNOLOGY LLC

🕜 Tel: +1-301-363-4651 🛛 🖂 Email: cusabio@cusabio.com 🛛 🥭 Website: www.cusabio.com 🌘



IHC image of CSB-PA837737LA01HU diluted at 1:300 and staining in paraffin-embedded human testis tissue performed on a Leica BondTM system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.



IHC image of CSB-PA837737LA01HU diluted at 1:300 and staining in paraffin-embedded human melanoma performed on a Leica BondTM system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.