

🕜 Tel: +1-301-363-4651 🛛 🖂 Email: cusabio@cusabio.com 🥥 Website: www.cusabio.com 🧉


## VTN Antibody

Product Code	CSB-PA029544EA01HU	
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.	
Uniprot No.	P04004	
Immunogen	Recombinant Human Vitronectin protein (1-115AA)	
Raised In	Rabbit	
Species Reactivity	Human	
Tested Applications	ELISA, WB, IHC; Recommended dilution: WB:1:500-1:5000, IHC:1:200-1:500	
Form	Liquid	
Conjugate	Non-conjugated	
Storage Buffer	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, pH 7.4	
Purification Method	>95%, Protein G purified	
Isotype	lgG	
Clonality	Polyclonal	
Alias	Vitronectin (VN) (S-protein) (Serum-spreading factor) (V75) [Cleaved into: Vitronectin V65 subunit; Vitronectin V10 subunit; Somatomedin-B], VTN	
Immunogen Species	Homo sapiens (Human)	
Research Area	Cardiovascular	
Target Names	VTN	
Image	$120KD \rightarrow 120KD \rightarrow 50KD \rightarrow 35KD \rightarrow 25KD \rightarrow 20KD \rightarrow 120KD \rightarrow $	Western Blot Positive WB detected in: MCF-7 whole cell lysate All lanes: VTN antibody at 4.6µg/ml Secondary Goat polyclonal to rabbit IgG at 1/50000 dilution Predicted band size: 55 kDa Observed band size: 55 kDa

1



🕜 Tel: +1-301-363-4651 🛛 🖂 Email: cusabio@cusabio.com 🕒 Website: www.cusabio.com 🧉



IHC image of CSB-PA029544EA01HU diluted at 1:400 and staining in paraffin-embedded human colon cancer performed on a Leica BondTM system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.