


🕜 Tel: +1-301-363-4651 🛛 🖂 Email: cusabio@cusabio.com 🛛 🥑 Website: www.cusabio.com 🍙

FOXA3 Antibody

| Product Code | CSB-PA008796LA01HU |
|----------------------------|---|
| Storage | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. |
| Uniprot No. | P55318 |
| Immunogen | Recombinant Human Hepatocyte nuclear factor 3-gamma protein (220-336AA) |
| Raised In | Rabbit |
| Species Reactivity | Human |
| Tested Applications | ELISA, IHC; Recommended dilution: IHC:1:500-1:1000 |
| Form | Liquid |
| Conjugate | Non-conjugated |
| Storage Buffer | Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, pH 7.4 |
| Purification Method | >95%, Protein G purified |
| Isotype | lgG |
| Clonality | Polyclonal |
| Alias | Hepatocyte nuclear factor 3-gamma (HNF-3-gamma) (HNF-3G) (Fork head- related protein FKH H3) (Forkhead box protein A3) (Transcription factor 3G) (TCF-3G), FOXA3, HNF3G TCF3G |
| Immunogen Species | Homo sapiens (Human) |
| Research Area | Epigenetics and Nuclear Signaling |
| Target Names | FOXA3 |
| Image | IHC image of CSB-PA008796LA01HL diluted at |
| | |



IHC image of CSB-PA008796LA01HU diluted at 1:700 and staining in paraffin-embedded human colon cancer performed on a Leica BondTM system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.

1