




MIB2 Antibody

Product Code	CSB-PA839291LA01HU
Abbreviation	E3 ubiquitin-protein ligase MIB2
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	Q96AX9
Immunogen	Recombinant Human E3 ubiquitin-protein ligase MIB2 protein (1-128AA)
Raised In	Rabbit
Species Reactivity	Human
Tested Applications	ELISA, IHC; Recommended dilution: IHC:1:500-1:1000
Relevance	E3 ubiquitin-protein ligase that mediates ubiquitination of Delta receptors, which act as ligands of Notch proteins. Positively regulates the Delta-mediated Notch signaling by ubiquitinating the intracellular domain of Delta, leading to endocytosis of Delta receptors.
Form	Liquid
Conjugate	Non-conjugated
Storage Buffer	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, pH 7.4
Purification Method	>95%, Protein G purified
Isotype	IgG
Clonality	Polyclonal
Alias	E3 ubiquitin-protein ligase MIB2 (EC 2.3.2.27) (Mind bomb homolog 2) (Novel zinc finger protein) (Novelzin) (Putative NF-kappa-B-activating protein 002N) (RING-type E3 ubiquitin transferase MIB2) (Skeletrophin) (Zinc finger ZZ type with ankyrin repeat domain protein 1), MIB2, SKD ZZANK1
Species	Homo sapiens (Human)
Research Area	Signal Transduction
Target Names	MIB2

Image



IHC image of CSB-PA839291LA01HU diluted at 1:600 and staining in paraffin-embedded human skeletal muscle tissue performed on a Leica Bond™ system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.