




# VN1R1 Antibody

<b>Product Code</b>	CSB-PA861973LA01HU
<b>Storage</b>	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
<b>Uniprot No.</b>	Q9GZP7
<b>Immunogen</b>	Recombinant Human Vomeronasal type-1 receptor 1 protein (1-56AA)
<b>Raised In</b>	Rabbit
<b>Species Reactivity</b>	Human
<b>Tested Applications</b>	ELISA, WB, IF; Recommended dilution: WB:1:500-1:5000, IF:1:50-1:200
<b>Form</b>	Liquid
<b>Conjugate</b>	Non-conjugated
<b>Storage Buffer</b>	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, pH 7.4
<b>Purification Method</b>	>95%, Protein G purified
<b>Isotype</b>	IgG
<b>Clonality</b>	Polyclonal
<b>Alias</b>	Vomeronasal type-1 receptor 1 (G-protein coupled receptor GPCR24) (hGPCR24) (V1r-like receptor 1) (V3r-related gene protein) (Vomeronasal olfactory receptor chromosome 19 subtype I member 1), VN1R1, V1RL1 VNR1911
<b>Immunogen Species</b>	Homo sapiens (Human)
<b>Research Area</b>	Others
<b>Target Names</b>	VN1R1

## Image



### Western Blot

Positive WB detected in: HeLa whole cell lysate, LO2 whole cell lysate, A549 whole cell lysate, PC-3 whole cell lysate


All lanes: VN1R1 antibody at 3.3µg/ml

Secondary

Goat polyclonal to rabbit IgG at 1/50000 dilution

Predicted band size: 41 kDa

Observed band size: 41 kDa



Immunofluorescence staining of HeLa cells with CSB-PA861973LA01HU at 1:133, counter-stained with DAPI. The cells were fixed in 4% formaldehyde, permeabilized using 0.2% Triton X-100 and blocked in 10% normal Goat Serum. The cells were then incubated with the antibody overnight at 4°C. The secondary antibody was Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).