






## SCML2 Antibody

| <b>Product Code</b>        | CSB-PA891470LA01HU   |
|----------------------------|--|
| Storage                    | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.                    |
| Uniprot No.                | Q9UQR0   |
| Immunogen                  | Recombinant Human Sex comb on midleg-like protein 2 protein (466-620AA)          |
| Raised In                  | Rabbit   |
| Species Reactivity         | Human  |
| <b>Tested Applications</b> | ELISA, IHC; Recommended dilution: IHC:1:500-1:1000                               |
| Form                       | Liquid   |
| Conjugate                  | Non-conjugated   |
| Storage Buffer             | Preservative: 0.03% Proclin 300<br>Constituents: 50% Glycerol, 0.01M PBS, pH 7.4 |
| Purification Method        | >95%, Protein G purified   |
| Isotype                    | IgG  |
| Clonality                  | Polyclonal   |
| Alias                      | Sex comb on midleg-like protein 2, SCML2   |
| Immunogen Species          | Homo sapiens (Human)   |
| Research Area              | Epigenetics and Nuclear Signaling  |
| Target Names               | SCML2  |
| Image                      | ILIC impage of CCD DA 2004 4701 A 241 III diluted of                             |



IHC image of CSB-PA891470LA01HU diluted at 1:500 and staining in paraffin-embedded human testis tissue performed on a Leica BondTM system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.