








## **CLCF1** Antibody

| <b>Product Code</b>        | CSB-PA906951LA01HU  |
|----------------------------|---|
| Storage                    | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.   |
| Uniprot No.                | Q9UBD9  |
| Immunogen                  | Recombinant Human Cardiotrophin-like cytokine factor 1 protein (28-178AA)   |
| Raised In                  | Rabbit  |
| Species Reactivity         | Human   |
| <b>Tested Applications</b> | ELISA, IHC; Recommended dilution: IHC:1:200-1:500   |
| Form                       | Liquid  |
| Conjugate                  | Non-conjugated  |
| Storage Buffer             | Preservative: 0.03% Proclin 300<br>Constituents: 50% Glycerol, 0.01M PBS, pH 7.4  |
| Purification Method        | >95%, Protein G purified  |
| Isotype                    | IgG   |
| Clonality                  | Polyclonal  |
| Alias                      | Cardiotrophin-like cytokine factor 1 (B-cell-stimulating factor 3) (BSF-3) (Novel neurotrophin-1) (NNT-1), CLCF1, BSF3 CLC NNT1 |
| Immunogen Species          | Homo sapiens (Human)  |
| Research Area              | Immunology  |
| Target Names               | CLCF1   |
| Image                      | IHC image of CSR PA0060511 A01HI I diluted at   |



IHC image of CSB-PA906951LA01HU diluted at 1:200 and staining in paraffin-embedded human kidney tissue performed on a Leica BondTM system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.