





DNAJC10 Antibody

Product Code	CSB-PA809006LA01HU
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	Q8IXB1
Immunogen	Recombinant Human DnaJ homolog subfamily C member 10 protein (521-793AA)
Raised In	Rabbit
Species Reactivity	Human, Rat
Tested Applications	ELISA, WB, IHC; Recommended dilution: WB:1:500-1:2000, IHC:1:20-1:200
Form	Liquid
Conjugate	Non-conjugated
Storage Buffer	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, pH 7.4
Purification Method	Antigen Affinity Purified
Isotype	IgG
Clonality	Polyclonal
Alias	DnaJ homolog subfamily C member 10 (EC 1.8.4.-) (Endoplasmic reticulum DNA J domain-containing protein 5) (ER-resident protein ERdj5) (ERdj5) (Macrothioredoxin) (MTHr), DNAJC10, ERDJ5
Immunogen Species	Homo sapiens (Human)
Research Area	Signal Transduction
Target Names	DNAJC10

Image



IHC image of CSB-PA809006LA01HU diluted at 1:100 and staining in paraffin-embedded human endometrial cancer performed on a Leica Bond™ system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.

**Western Blot**

Positive WB detected in: HL60 whole cell lysate, SH-SY5Y whole cell lysate, Rat liver tissue, Rat brain tissue

All lanes: DNAJC10 antibody at 1:1000

Secondary

Goat polyclonal to rabbit IgG at 1/50000 dilution

Predicted band size: 92, 87, 38 kDa

Observed band size: 80 kDa

Usage

For Research Use Only. Not for use in diagnostic or therapeutic procedures.