




# TENM1 Antibody

<b>Product Code</b>	CSB-PA892339LA01HU
<b>Storage</b>	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
<b>Uniprot No.</b>	Q9UKZ4
<b>Immunogen</b>	Recombinant Human Teneurin-1 protein (1-241AA)
<b>Raised In</b>	Rabbit
<b>Species Reactivity</b>	Human
<b>Tested Applications</b>	ELISA, IHC; Recommended dilution: IHC:1:20-1:200
<b>Form</b>	Liquid
<b>Conjugate</b>	Non-conjugated
<b>Storage Buffer</b>	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, pH 7.4
<b>Purification Method</b>	Antigen Affinity Purified
<b>Isotype</b>	IgG
<b>Clonality</b>	Polyclonal
<b>Alias</b>	Teneurin-1 (Ten-1) (Protein Odd Oz/ten-m homolog 1) (Tenascin-M1) (Ten-m1) (Teneurin transmembrane protein 1) [Cleaved into: Ten-1 intracellular domain (IDten-1) (Ten-1 ICD); Teneurin C-terminal-associated peptide (TCPA-1) (Ten-1 extracellular domain) (Ten-1 ECD)], TENM1, ODZ1 TNM1
<b>Immunogen Species</b>	Homo sapiens (Human)
<b>Research Area</b>	Neuroscience
<b>Target Names</b>	TENM1

## Image



IHC image of CSB-PA892339LA01HU diluted at 1:100 and staining in paraffin-embedded human brain tissue performed on a Leica Bond<sup>TM</sup> system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.