



# Recombinant Human CD276 antigen (CD276), partial (Active)


<b>Product Code</b>	CSB-MP733578HU
<b>Relevance</b>	May participate in the regulation of T-cell-mediated immune response. May play a protective role in tumor cells by inhibiting natural-killer mediated cell lysis as well as a role of marker for detection of neuroblastoma cells. May be involved in the development of acute and chronic transplant rejection and in the regulation of lymphocytic activity at mucosal surfaces. Could also play a key role in providing the placenta and fetus with a suitable immunological environment throughout pregnancy. Both isoform 1 and isoform 2 appear to be redundant in their ability to modulate CD4 T-cell responses. Isoform 2 is shown to enhance the induction of cytotoxic T-cells and selectively stimulates interferon gamma production in the presence of T-cell receptor signaling.
<b>Abbreviation</b>	Recombinant Human CD276 protein, partial (Active)
<b>Storage</b>	The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.
<b>Uniprot No.</b>	Q5ZPR3
<b>Storage Buffer</b>	Lyophilized from a 0.2 µm filtered PBS, 6% Trehalose, pH 7.4
<b>Product Type</b>	Others
<b>Immunogen Species</b>	Homo sapiens (Human)
<b>Biological Activity</b>	Measured by its binding ability in a functional ELISA. Immobilized CD276 at 2 µg/ml can bind Anti-CD276 rabbit monoclonal antibody, the EC50 of human CD276 protein is 1.961-2.243 ng/ml.
<b>Purity</b>	Greater than 90% as determined by SDS-PAGE.
<b>Sequence</b>	LEVQVPEDPVVALVGTDLCCSFSPEPGFSLAQLNLIWQLTDTKQLVHSFAE GQDQGSAYANRTALFPDLLAQGNASLRLQRVVADEGSFTCFVSIRDFGSAA VSLQVAAPYSKPSMTLEPNKDLRPGDVTITCSSYQGYPEAEVFWQDGGQVP LTGNVTTSQMANEQGLFDVHSILRVVLGANGTYSCLVRNPVLQQDAHSSVTIT PQRSPTG
<b>Research Area</b>	Cancer
<b>Source</b>	Mammalian cell
<b>Target Names</b>	CD276
<b>Expression Region</b>	29-245aa
<b>Notes</b>	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
<b>Tag Info</b>	C-terminal hFc1-Myc-tagged




**Mol. Weight** 53.4 kDa

**Protein Length** Partial

**Image**



(Tris-Glycine gel) Discontinuous SDS-PAGE (reduced) with 5% enrichment gel and 15% separation gel.



**Activity**

Measured by its binding ability in a functional ELISA. Immobilized CD276 at 2 µg/ml can bind Anti-CD276 rabbit monoclonal antibody, the EC<sub>50</sub> of human CD276 protein is 1.961-2.243 ng/ml.

**Endotoxin** Less than 1.0 EU/ug as determined by LAL method.

**Shelf Life** The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.