





CCR8 Recombinant Monoclonal Antibody

Product Code	CSB-RA004847MA3HU
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Uniprot No.	P51685
Immunogen	Recombinant Human CCR8 protein
Species Reactivity	Human
Tested Applications	ELISA, FC; Recommended dilution: FC:1:50-1:200
Form	Liquid
Conjugate	Non-conjugated
Storage Buffer	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Purification Method	Affinity-chromatography
Isotype	hlgG1
Clonality	Monoclonal
Product Type	Recombinant Antibody
Immunogen Species	Homo sapiens (Human)
Research Area	Immunology;Microbiology
Gene Names	CCR8
Clone No.	6B12

Image



Untransfected CHO-K1 cells surface(green line) and transfected Human CCR8 CHO-K1 stable cells surface (red line) were stained with anti-CCR8 antibody (2µg/1*10⁶cells), washed and then followed by FITC-conjugated anti-Human IgG Fc antibody and analyzed with flow cytometry.



The Binding Activity of CCR8 with Anti-CCR8 recombinant antibody. Activity: Measured by its binding ability in a functional ELISA. Immobilized Human CCR8 (CSB-MP004847HU) at 5 µg/mL can bind Anti-CCR8 recombinant antibody, the EC_{50} is 11.20-15.63 ng/mL.



CUSABIO TECHNOLOGY LLC





Description

The synthesis of the CCR8 recombinant monoclonal antibody is carried out with meticulous precision to ensure its exceptional quality and specificity. The process begins by isolating B cells from the spleen of an immunized animal, where the recombinant human CCR8 protein serves as the immunogen. RNA is extracted from the B cells and converted into cDNA through reverse transcription. Using specific primers designed for the antibody constant regions, the CCR8 antibody genes are amplified and inserted into an expression vector. The vector is then introduced into host cells through transfection, allowing for the production of the CCR8 recombinant monoclonal antibody. After a period of cell culture, the antibody is harvested from the cell culture supernatant and purified using affinity chromatography, resulting in a highly purified form suitable for a wide range of applications. To ensure its reliability and effectiveness, the antibody undergoes FC analysis to validate its specificity and functionality in detecting human CCR8 protein.