





# LY6G6D Recombinant Monoclonal Antibody

<b>Product Code</b>	CSB-RA013246MA1HU
<b>Storage</b>	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
<b>Uniprot No.</b>	O95868
<b>Immunogen</b>	Recombinant Human LY6G6D protein
<b>Species Reactivity</b>	Human, Macaca fascicularis
<b>Tested Applications</b>	ELISA, FC
<b>Form</b>	Liquid
<b>Conjugate</b>	Non-conjugated
<b>Storage Buffer</b>	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
<b>Purification Method</b>	Affinity-chromatography
<b>Isotype</b>	hIgG1
<b>Clonality</b>	Monoclonal
<b>Product Type</b>	Recombinant Antibody
<b>Immunogen Species</b>	Homo sapiens (Human)
<b>Research Area</b>	Immunology
<b>Target Names</b>	LY6G6D
<b>Clone No.</b>	818


## Image



The Binding Activity of LY6G6D with anti-LY6G6D antibody  
Activity: Measured by its binding ability in a functional ELISA. Immobilized Macaca fascicularis LY6G6D(CSB-YP4607MOV) at 2 µg/mL can bind Anti-LY6G6D recombinant antibody, the EC<sub>50</sub> is 3.963-7.154 ng/mL.



The Binding Activity of LY6G6D with anti-LY6G6D antibody  
Activity: Measured by its binding ability in a functional ELISA. Immobilized Human LY6G6D(CSB-YP013246HU) at 2 µg/mL can bind Anti-LY6G6D recombinant antibody, the EC<sub>50</sub> is 2.816-3.741 ng/mL.



Untransfected HEK293T cells surface (green line) and transfected Human LY6G6D HEK293T stable cells surface (red line) were stained with anti-LY6G6D antibody (CSB-RA013246MA1HU) ( $2\mu\text{g}/1 \times 10^6$  cells), washed and then followed by FITC-conjugated anti-Human IgG Fc antibody and analyzed with flow cytometry.

**Usage**

For Research Use Only. Not for use in diagnostic or therapeutic procedures.