





DXD Monoclonal Antibody, HRP conjugated

Product Code	CSB-MA9969771m-B
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Immunogen	DXD-BSA conjugate
Tested Applications	ELISA
Form	Liquid
Conjugate	HRP
Storage Buffer	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Purification Method	Affinity-chromatography
Isotype	IgG2a
Clonality	Monoclonal
Product Type	Monoclonal Antibody
Target Names	DXD
Clone No.	8D12C11


Image



The Binding Activity of ADC-1(DXD) with Anti-DXD-HRP antibody
Activity: Measured by its binding ability in a functional ELISA. Immobilized ADC-1(DXD) at 2 µg/mL can bind Anti-DXD-HRP antibody, the EC₅₀ is 8.653 to 12.39 ng/mL.



The Binding Activity of ADC-2(DXD) with Anti-DXD-HRP antibody
Activity: Measured by its binding ability in a functional ELISA. Immobilized ADC-2(DXD) at 2 µg/mL can bind Anti-DXD-HRP antibody, the EC₅₀ is 9.854 to 11.57 ng/mL.



The Binding Activity of T-DXd(DS-8201) with Anti-DXD-HRP antibody
Activity: Measured by its binding ability in a functional ELISA. Immobilized T-DXd(DS-8201) at 2 µg/mL can bind Anti-DXD-HRP antibody, the EC₅₀ is 6.726 to 8.530 ng/mL.



Usage

For Research Use Only. Not for use in diagnostic or therapeutic procedures.