





DXD Monoclonal Antibody, HRP conjugated

Product Code	CSB-MA996977I2m-B
Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Immunogen	DXD-BSA conjugate
Tested Applications	ELISA
Form	Liquid
Conjugate	HRP
Storage Buffer	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Purification Method	Affinity-chromatography
Isotype	IgG2a
Clonality	Monoclonal
Product Type	Monoclonal Antibody
Target Names	DXD
Clone No.	12C10A12


Image



The Binding Activity of ADC-1(DXD) with Anti-DXD-HRP antibody
Activity: Measured by its binding ability in a functional ELISA. Immobilized ADC-1(DXD) at 2 µg/mL can bind Anti-DXD-HRP antibody, the EC_{50} is 9.268 to 11.37 ng/mL.



The Binding Activity of ADC-2(DXD) with Anti-DXD-HRP antibody
Activity: Measured by its binding ability in a functional ELISA. Immobilized ADC-2(DXD) at 2 µg/mL can bind Anti-DXD-HRP antibody, the EC_{50} is 10.19 to 11.82 ng/mL.



The Binding Activity of T-DXd(DS-8201) with Anti-DXD-HRP antibody
Activity: Measured by its binding ability in a functional ELISA. Immobilized T-DXd(DS-8201) at 2 µg/mL can bind Anti-DXD-HRP antibody, the EC_{50} is 6.726 to 7.836 ng/mL.



Usage

For Research Use Only. Not for use in diagnostic or therapeutic procedures.