





# CTLA4 Recombinant Monoclonal Antibody

<b>Product Code</b>	CSB-RA006163MA2HU
<b>Storage</b>	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
<b>Uniprot No.</b>	P16410
<b>Immunogen</b>	Recombinant Human CTLA4 protein
<b>Species Reactivity</b>	Human, Peptostreptococcus magnus
<b>Tested Applications</b>	ELISA; Recommended dilution: ELISA:1:5000-1:50000
<b>Form</b>	Liquid
<b>Conjugate</b>	Non-conjugated
<b>Storage Buffer</b>	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
<b>Purification Method</b>	Affinity-chromatography
<b>Isotype</b>	hIgG1
<b>Clonality</b>	Monoclonal
<b>Product Type</b>	Recombinant Antibody
<b>Immunogen Species</b>	Homo sapiens (Human)
<b>Research Area</b>	Immunology;Stem cells
<b>Target Names</b>	CTLA4
<b>Clone No.</b>	12E8


## Image



The Binding Activity of Peptostreptococcus magnus protein L with anti-CTLA4 Recombinant Antibody  
Activity: Measured by its binding ability in a functional ELISA. Immobilized Peptostreptococcus magnus protein L(CSB-EP5116GURc7) at 2 µg/mL can bind anti-CTLA4 recombinant antibody. The EC<sub>50</sub> is 1.764-2.413 ng/mL.



The Binding Activity of Peptostreptococcus magnus protein L with Anti-CTLA4 Recombinant Antibody  
Activity: Measured by its binding ability in a functional ELISA. Immobilized Peptostreptococcus magnus protein L(CSB-MP5116GUR) at 2 µg/mL can bind Anti-CTLA4 recombinant antibody. The EC<sub>50</sub> is 1.601-1.944 ng/mL.



The Binding Activity of Human CTLA4 with Anti-CTLA4 Recombinant Antibody Activity: Measured by its binding ability in a functional ELISA. Immobilized Anti-CTLA4 antibody at 1  $\mu$ g/mL can bind Biotinylated Human CTLA4(MP006163HU1j1-B) . The EC<sub>50</sub> is 10.57-15.25 ng/mL.

## Usage

For Research Use Only. Not for use in diagnostic or therapeutic procedures.