





Recombinant Human Low affinity immunoglobulin gamma Fc region receptor III-A (FCGR3A), partial (Active)


| | |
|----------------------------|---|
| Product Code | CSB-MP008543HU1 |
| Abbreviation | Recombinant Human FCGR3A protein, partial (Active) |
| Storage | The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C. |
| Uniprot No. | P08637 |
| Form | Lyophilized powder |
| Storage Buffer | Lyophilized from a 0.2 µm filtered PBS, 6% Trehalose, pH 7.4 |
| Product Type | Recombinant Protein |
| Immunogen Species | Homo sapiens (Human) |
| Biological Activity | Measured by its binding ability in a functional ELISA. Immobilized Human FCGR3A at 2 µg/mL can bind Anti-FCGR3A recombinant antibody (CSB-RA008543MA1HU). The EC50 is 0.2330-0.3147 ng/mL. |
| Purity | ≥ 95% as determined by SDS-PAGE. ≥ 90% as determined by SEC-HPLC. |
| Sequence | GMRTEDLPKAVVFLEPQWYRVLEKDSVTLKQCQAYSPEDNSTQWFHNESLIS SQASSYFIDAATVDDSGEYRCQTNLSTLSDPVQLEVHIGWLLLQAPRWVFKKE DPIHLRCHSWKNTALHKVTYLQNGKGRKYFHHNSDFYIPKATLKDSGSYFCRG LFGSKNVSSETVNITITQGLAVSTISSFFPPGYQ |
| Source | Mammalian cell |
| Target Names | FCGR3A |
| Expression Region | 17-208aa |
| Notes | Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week. |
| Tag Info | C-terminal 6xHis-tagged |
| Mol. Weight | 22.7 kDa |
| Protein Length | Partial |
| Image | |



(Tris-Glycine gel) Discontinuous SDS-PAGE (reduced) with 5% enrichment gel and 15% separation gel.



Activity
Measured by its binding ability in a functional ELISA. Immobilized Human FCGR3A at 2 $\mu\text{g/ml}$ can bind Anti-FCGR3A recombinant antibody (CSB-RA008543MA1HU). The EC_{50} is 0.2330-0.3147 ng/mL.



The purity of FCGR3A was greater than 90% as determined by SEC-HPLC

Endotoxin

Less than 1.0 EU/ μg as determined by LAL method.

Reconstitution

We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at $-20^{\circ}\text{C}/-80^{\circ}\text{C}$. Our default final concentration of glycerol is 50%. Customers could use it as reference.

Shelf Life

The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at $-20^{\circ}\text{C}/-80^{\circ}\text{C}$. The shelf life of lyophilized form is 12 months at $-20^{\circ}\text{C}/-80^{\circ}\text{C}$.