





# Recombinant Human V-set domain-containing T-cell activation inhibitor 1 (VTCN1) , partial (Active)


<b>Product Code</b>	CSB-MP801822HU1
<b>Abbreviation</b>	Recombinant Human VTCN1 protein, partial (Active)
<b>Storage</b>	The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.
<b>Uniprot No.</b>	Q7Z7D3
<b>Form</b>	Lyophilized powder
<b>Storage Buffer</b>	Lyophilized from a 0.2 μm sterile filtered PBS, 6% Trehalose, pH 7.4
<b>Product Type</b>	Recombinant Protein
<b>Immunogen Species</b>	Homo sapiens (Human)
<b>Biological Activity</b>	①Measured by its binding ability in a functional ELISA. Immobilized Human VTCN1 at 2 μg/mL can bind Anti-VTCN1 recombinant antibody (CSB-RA801822MA1HU). The EC50 is 9.352-10.38 ng/mL. ②VTCN1 Recombinant Monoclonal Antibody (CSB-RA801822MA1HU) captured on Protein A Chip can bind Recombinant Human VTCN1 with an affinity constant of 16.1 nM as detected by MetaSPR Assay (WeSPRTM 200).
<b>Purity</b>	Greater than 95% as determined by SDS-PAGE. Greater than 95% as determined by SEC-HPLC.
<b>Sequence</b>	FGISGRHSITVTTVASAGNIGEDGILSCTFEPDIKLSDIVIQWLKEGVLGLVHEFK EGKDELSEQDEMFRGRTAVFADQVIVGNASLRLKNVQLTDAGTYKCYIITSKG KGNANLEYKTGAFSMPEVNVVDYNASSETLRCEAPRWFPQPTVWASQVDQG ANFSEVSNTSFELENSEVMTMKVVSVLYNVTINNTYSCMIENDIAKATGDIKVTES EIKRRSHLQLLNSKA
<b>Source</b>	Mammalian cell
<b>Target Names</b>	VTCN1
<b>Expression Region</b>	29-258aa
<b>Notes</b>	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
<b>Tag Info</b>	C-terminal 10xHis-tagged
<b>Mol. Weight</b>	27.2 kDa
<b>Protein Length</b>	Partial
<b>Image</b>	




(Tris-Glycine gel) Discontinuous SDS-PAGE (reduced) with 5% enrichment gel and 15% separation gel.



**Activity**  
Measured by its binding ability in a functional ELISA. Immobilized Human VTCN1 at 2 µg/ml can bind Anti-VTCN1 recombinant antibody (CSB-RA801822MA1HU). The EC<sub>50</sub> is 9.352-10.38 ng/mL.



**Activity**  
VTCN1 Recombinant Monoclonal Antibody (CSB-RA801822MA1HU) captured on Protein A Chip can bind Recombinant Human VTCN1 with an affinity constant of 16.1 nM as detected by MetaSPR Assay (WeSPR™ 200).



The purity of VTCN1 was greater than 95% as determined by SEC-HPLC

### Endotoxin

Less than 1.0 EU/ug as determined by LAL method.

### Reconstitution

We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.

### Shelf Life

The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.