




Recombinant Rat Tumor necrosis factor (Tnf), partial (Active)


Product Code	CSB-MP325438RA
Abbreviation	Recombinant Rat Tnf protein, partial (Active)
Storage	The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.
Uniprot No.	P16599
Form	Lyophilized powder
Storage Buffer	Lyophilized from a 0.2 µm sterile filtered PBS, 6% Trehalose, pH 7.4
Product Type	Recombinant Protein
Immunogen Species	Rattus norvegicus (Rat)
Biological Activity	<p>①Measured in a cytotoxicity assay using L-929 mouse fibroblast cells in the presence of the metabolic inhibitor actinomycin D. The ED50 for this effect is 7.716-15.52 pg/mL.</p> <p>②Measured by its binding ability in a functional ELISA. Immobilized Rat Tnf at 4 µg/mL can bind Human TNFRSF1A(CSB-MP023977HU1). The EC50 is 6.174-7.463 ng/mL.</p> <p>③Measured by its binding ability in a functional ELISA. Immobilized Rat Tnf at 4 µg/mL can bind Rat Tnfrsf1a(CSB-MP023977RA). The EC50 is 66.99-76.40 ng/mL.</p> <p>④Human TNFRSF1A(MP023977HU1) captured on Protein A Chip can bind Recombinant Rat Tnf with an affinity constant of 0.139 nM as detected by MetaSPR Assay (WeSPRTM 200).</p>
Purity	≥ 95% as determined by SDS-PAGE.
Sequence	LRSSSQNSSDKPVAHVANHQAEQLEWLSQRANALLANGMDLKDNQLVVP ADGLYLIYSQVLFKGGQCPDYVLLTHTVSRFAISYQEKVSLLSAIKSPCPKDTPE GAELKPWYEPMYLGGVFQLEKGDLLSAEVNLPKYLDITESGQVYFGVIAL
Source	Mammalian cell
Target Names	Tnf
Expression Region	80-235aa
Notes	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
Tag Info	C-terminal 10xHis-tagged
Mol. Weight	18.7 kDa
Protein Length	Partial




Image




(Tris-Glycine gel) Discontinuous SDS-PAGE (reduced) with 5% enrichment gel and 15% separation gel.




Activity
Measured in a cytotoxicity assay using L-929 mouse fibroblast cells in the presence of the metabolic inhibitor actinomycin D. The ED₅₀ for this effect is 7.716-15.52 pg/mL.



Activity
Measured by its binding ability in a functional ELISA. Immobilized Rat Tnf at 4 µg/mL can bind Human TNFRSF1A(CSB-MP023977HU1). The EC₅₀ is 6.174-7.463 ng/mL.



Activity
Measured by its binding ability in a functional ELISA. Immobilized Rat Tnf at 4 µg/mL can bind Rat Tnfrsf1a(CSB-MP023977RA). The EC₅₀ is 66.99-76.40 ng/mL.



Activity
Human TNFRSF1A(MP023977HU1) captured on Protein A Chip can bind Recombinant Rat Tnf with an affinity constant of 0.139 nM as detected by MetaSPR Assay (WeSPRTM 200).

**Endotoxin**

Less than 1.0 EU/ug as determined by LAL method.

Reconstitution

We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.

Shelf Life

The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.