



Recombinant Goat Fibrinogen alpha chain (FGA)

Product Code	CSB-MP008607GO
Storage	Store at -20°C, for extended storage, conserve at -20°C or -80°C.
Uniprot No.	P68215
Product Type	Recombinant Protein
Immunogen Species	Capra hircus (Goat)
Purity	≥85% (SDS-PAGE)
Sequence	ADDSDPVGGE FLAEGGGVR
Source	Mammalian cell
Target Names	FGA
Protein Names	Recommended name: Fibrinogen alpha chain Cleaved into the following chain: 1. Fibrinopeptide A
Expression Region	1-19
Notes	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
Tag Info	Tag type will be determined during the manufacturing process.
Protein Length	Cytoplasmic domain
Target Details	This protein is the alpha component of fibrinogen, a blood-borne glycoprotein comprised of three pairs of nonidentical polypeptide chains. Following vascular injury, fibrinogen is cleaved by thrombin to form fibrin which is the most abundant component of blood clots. In addition, various cleavage products of fibrinogen and fibrin regulate cell adhesion and spreading, display vasoconstrictor and chemotactic activities, and are mitogens for several cell types. Mutations in this gene lead to several disorders, including dysfibrinogenemia, hypofibrinogenemia, afibrinogenemia and renal amyloidosis. Alternative splicing results in two isoforms which vary in the carboxy-terminus.
Reconstitution	We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.
Shelf Life	The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.