

🕜 Tel: +1-301-363-4651 🛛 🖂 Email: cusabio@cusabio.com 🥃 Website: www.cusabio.com

GADD45A Antibody

thaw cycles.Purification MethodAntigen Affinity PurifiedIsotypeIgGAliasgrowth arrest and DNA-damage-inducible, alpha;GADD45A;DDIT1;GADD4Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesGADD45ATarget DetailsThis gene is a member of a group of genes whose transcript levels are increased following stressful growth arrest conditions and treatment with DN damaging agents. This protein responds to environmental stresses by medi		
Uniprot No.P24522ImmunogenHuman GADD45ARaised InRabbitSpecies ReactivityHuman,Mouse,RatTested ApplicationsELISA,WBStorage BufferPBS with 0.02% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / thaw cycles.Purification MethodAntigen Affinity PurifiedIsotypeIgGAliasgrowth arrest and DNA-damage-inducible, alpha;GADD45A;DDIT1;GADD4Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesGADD45ATarget DetailsThis gene is a member of a group of genes whose transcript levels are increased following stressful growth arrest conditions and treatment with DN damaging agents. This protein responds to environmental stresses by medi activation of the p38/JNK pathway via MTK1/MEKK4 kinase. The DNA dam induced transcription of this gene is mediated by both p53-dependent and -	Product Code	CSB-PA009161GA01HU
ImmunogenHuman GADD45ARaised InRabbitSpecies ReactivityHuman,Mouse,RatTested ApplicationsELISA,WBStorage BufferPBS with 0.02% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / thaw cycles.Purification MethodAntigen Affinity PurifiedIsotypeIgGAliasgrowth arrest and DNA-damage-inducible, alpha;GADD45A;DDIT1;GADD4Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesGADD45ATarget DetailsThis gene is a member of a group of genes whose transcript levels are increased following stressful growth arrest conditions and treatment with DN damaging agents. This protein responds to environmental stresses by medi activation of the p38/JNK pathway via MTK1/MEKK4 kinase. The DNA dam induced transcription of this gene is mediated by both p53-dependent and -	Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Raised InRabbitSpecies ReactivityHuman,Mouse,RatTested ApplicationsELISA,WBStorage BufferPBS with 0.02% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / thaw cycles.Purification MethodAntigen Affinity PurifiedIsotypeIgGAliasgrowth arrest and DNA-damage-inducible, alpha;GADD45A;DDIT1;GADD4Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesGADD45ATarget DetailsThis gene is a member of a group of genes whose transcript levels are increased following stressful growth arrest conditions and treatment with DN damaging agents. This protein responds to environmental stresses by medi activation of the p38/JNK pathway via MTK1/MEKK4 kinase. The DNA dam induced transcription of this gene is mediated by both p53-dependent and -	Uniprot No.	P24522
Species ReactivityHuman,Mouse,RatTested ApplicationsELISA,WBStorage BufferPBS with 0.02% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / thaw cycles.Purification MethodAntigen Affinity PurifiedIsotypeIgGAliasgrowth arrest and DNA-damage-inducible, alpha;GADD45A;DDIT1;GADD4Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesGADD45ATarget DetailsThis gene is a member of a group of genes whose transcript levels are increased following stressful growth arrest conditions and treatment with DN damaging agents. This protein responds to environmental stresses by medi activation of the p38/JNK pathway via MTK1/MEKK4 kinase. The DNA dam induced transcription of this gene is mediated by both p53-dependent and -	Immunogen	Human GADD45A
Tested ApplicationsELISA,WBStorage BufferPBS with 0.02% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / thaw cycles.Purification MethodAntigen Affinity PurifiedIsotypeIgGAliasgrowth arrest and DNA-damage-inducible, alpha;GADD45A;DDIT1;GADD4Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesGADD45ATarget DetailsThis gene is a member of a group of genes whose transcript levels are increased following stressful growth arrest conditions and treatment with DN damaging agents. This protein responds to environmental stresses by medi activation of the p38/JNK pathway via MTK1/MEKK4 kinase. The DNA dam induced transcription of this gene is mediated by both p53-dependent and -	Raised In	Rabbit
Storage BufferPBS with 0.02% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / thaw cycles.Purification MethodAntigen Affinity PurifiedIsotypeIgGAliasgrowth arrest and DNA-damage-inducible, alpha;GADD45A;DDIT1;GADD4Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesGADD45ATarget DetailsThis gene is a member of a group of genes whose transcript levels are increased following stressful growth arrest conditions and treatment with DN damaging agents. This protein responds to environmental stresses by medi activation of the p38/JNK pathway via MTK1/MEKK4 kinase. The DNA dam induced transcription of this gene is mediated by both p53-dependent and -	Species Reactivity	Human,Mouse,Rat
thaw cycles.Purification MethodAntigen Affinity PurifiedIsotypeIgGAliasgrowth arrest and DNA-damage-inducible, alpha;GADD45A;DDIT1;GADD4Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesGADD45ATarget DetailsThis gene is a member of a group of genes whose transcript levels are increased following stressful growth arrest conditions and treatment with DN damaging agents. This protein responds to environmental stresses by medi activation of the p38/JNK pathway via MTK1/MEKK4 kinase. The DNA dam induced transcription of this gene is mediated by both p53-dependent and -	Tested Applications	ELISA,WB
IsotypeIgGAliasgrowth arrest and DNA-damage-inducible, alpha;GADD45A;DDIT1;GADD4Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesGADD45ATarget DetailsThis gene is a member of a group of genes whose transcript levels are increased following stressful growth arrest conditions and treatment with DN damaging agents. This protein responds to environmental stresses by medi activation of the p38/JNK pathway via MTK1/MEKK4 kinase. The DNA dam induced transcription of this gene is mediated by both p53-dependent and -	Storage Buffer	PBS with 0.02% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / thaw cycles.
Aliasgrowth arrest and DNA-damage-inducible, alpha;GADD45A;DDIT1;GADD4Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesGADD45ATarget DetailsThis gene is a member of a group of genes whose transcript levels are increased following stressful growth arrest conditions and treatment with DN damaging agents. This protein responds to environmental stresses by medi activation of the p38/JNK pathway via MTK1/MEKK4 kinase. The DNA dam induced transcription of this gene is mediated by both p53-dependent and -	Purification Method	Antigen Affinity Purified
Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesGADD45ATarget DetailsThis gene is a member of a group of genes whose transcript levels are increased following stressful growth arrest conditions and treatment with DN damaging agents. This protein responds to environmental stresses by medi activation of the p38/JNK pathway via MTK1/MEKK4 kinase. The DNA dam induced transcription of this gene is mediated by both p53-dependent and -	Isotype	IgG
Immunogen SpeciesHomo sapiens (Human)Target NamesGADD45ATarget DetailsThis gene is a member of a group of genes whose transcript levels are increased following stressful growth arrest conditions and treatment with DN damaging agents. This protein responds to environmental stresses by medi activation of the p38/JNK pathway via MTK1/MEKK4 kinase. The DNA dam induced transcription of this gene is mediated by both p53-dependent and -	Alias	growth arrest and DNA-damage-inducible, alpha;GADD45A;DDIT1;GADD45 ;
Target Names GADD45A Target Details This gene is a member of a group of genes whose transcript levels are increased following stressful growth arrest conditions and treatment with DN damaging agents. This protein responds to environmental stresses by medi activation of the p38/JNK pathway via MTK1/MEKK4 kinase. The DNA dam induced transcription of this gene is mediated by both p53-dependent and -	Product Type	Purified Rabbit Anti human PolyClonal Antibody
Target DetailsThis gene is a member of a group of genes whose transcript levels are increased following stressful growth arrest conditions and treatment with DN damaging agents. This protein responds to environmental stresses by medi activation of the p38/JNK pathway via MTK1/MEKK4 kinase. The DNA dam induced transcription of this gene is mediated by both p53-dependent and -	Immunogen Species	Homo sapiens (Human)
increased following stressful growth arrest conditions and treatment with DN damaging agents. This protein responds to environmental stresses by medi activation of the p38/JNK pathway via MTK1/MEKK4 kinase. The DNA dam induced transcription of this gene is mediated by both p53-dependent and -	Target Names	GADD45A
	Target Details	increased following stressful growth arrest conditions and treatment with DNA- damaging agents. This protein responds to environmental stresses by mediating activation of the p38/JNK pathway via MTK1/MEKK4 kinase. The DNA damage- induced transcription of this gene is mediated by both p53-dependent and -

1