

🕜 Tel: +1-301-363-4651 🛛 🖂 Email: cusabio@cusabio.com 🥃 Website: www.cusabio.com

## TAC1 Antibody

cycles.Purification MethodAntigen Affinity PurifiedIsotypeIgGAliastachykinin, precursor 1;TAC1;Hs.2563;NK2;NKNA;NPK;TAC2 ;Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesTAC1Target DetailsThis gene encodes four products of the tachykinin peptide hormone family, substance P and neurokinin A, as well as the related peptides, neuropeptide and neuropeptide gamma. These hormones are thought to function as neurotransmitters which interact with nerve receptors and smooth muscle centres and neuropeptide behavioral responses and function as vasodilator		
Uniprot No.P20366ImmunogenHuman TAC1Raised InRabbitSpecies ReactivityHuman,Mouse,RatTested ApplicationsELISA,IHCStorage BufferPBS with 0.1% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / t cycles.Purification MethodAntigen Affinity PurifiedIsotypeIgGAliastachykinin, precursor 1;TAC1;Hs.2563;NK2;NKNA;NPK;TAC2 ;Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesTAC1Target DetailsThis gene encodes four products of the tachykinin peptide hormone family, substance P and neurokinin A, as well as the related peptides, neuropeptide and neuropeptide gamma. These hormones are thought to function as neurotransmitters which interact with nerve receptors and smooth muscle co They are known to induce behavioral responses and function as vasodilator and secretagogues. Multiple transcript variants encoding different isoforms I	Product Code	CSB-PA023062GA01HU
ImmunogenHuman TAC1Raised InRabbitSpecies ReactivityHuman,Mouse,RatTested ApplicationsELISA,IHCStorage BufferPBS with 0.1% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / t cycles.Purification MethodAntigen Affinity PurifiedIsotypeIgGAliastachykinin, precursor 1;TAC1;Hs.2563;NK2;NKNA;NPK;TAC2 ;Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesTAC1Target DetailsThis gene encodes four products of the tachykinin peptide hormone family, substance P and neurokinin A, as well as the related peptides, neuropeptide and neuropeptide garma. These hormones are thought to function as neurotransmitters which interact with nerve receptors and smooth muscle cor They are known to induce behavioral responses and function as vasodilator and secretagogues. Multiple transcript variants encoding different isoforms I	Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Raised InRabbitSpecies ReactivityHuman,Mouse,RatTested ApplicationsELISA,IHCStorage BufferPBS with 0.1% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / t cycles.Purification MethodAntigen Affinity PurifiedIsotypeIgGAliastachykinin, precursor 1;TAC1;Hs.2563;NK2;NKNA;NPK;TAC2 ;Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesTAC1Target DetailsThis gene encodes four products of the tachykinin peptide hormone family, substance P and neurokinin A, as well as the related peptides, neuropeptide and neuropeptide gamma. These hormones are thought to function as neurotransmitters which interact with nerve receptors and smooth muscle co They are known to induce behavioral responses and function as vasodilator and secretagogues. Multiple transcript variants encoding different isoforms for the secretagogues.	Uniprot No.	P20366
Species ReactivityHuman,Mouse,RatTested ApplicationsELISA,IHCStorage BufferPBS with 0.1% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / t cycles.Purification MethodAntigen Affinity PurifiedIsotypeIgGAliastachykinin, precursor 1;TAC1;Hs.2563;NK2;NKNA;NPK;TAC2 ;Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesTAC1Target DetailsThis gene encodes four products of the tachykinin peptide hormone family, substance P and neurokinin A, as well as the related peptides, neuropeptide and neuropeptide gamma. These hormones are thought to function as neurotransmitters which interact with nerve receptors and smooth muscle con They are known to induce behavioral responses and function as vasodilator and secretagogues. Multiple transcript variants encoding different isoforms for the secretago and secretago an	Immunogen	Human TAC1
Tested ApplicationsELISA,IHCStorage BufferPBS with 0.1% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / t cycles.Purification MethodAntigen Affinity PurifiedIsotypeIgGAliastachykinin, precursor 1;TAC1;Hs.2563;NK2;NKNA;NPK;TAC2 ;Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesTAC1Target DetailsThis gene encodes four products of the tachykinin peptide hormone family, substance P and neurokinin A, as well as the related peptides, neuropeptide and neuropeptide gamma. These hormones are thought to function as neurotransmitters which interact with nerve receptors and smooth muscle ce They are known to induce behavioral responses and function as vasodilator and secretagogues. Multiple transcript variants encoding different isoforms	Raised In	Rabbit
Storage BufferPBS with 0.1% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / t cycles.Purification MethodAntigen Affinity PurifiedIsotypeIgGAliastachykinin, precursor 1;TAC1;Hs.2563;NK2;NKNA;NPK;TAC2 ;Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesTAC1Target DetailsThis gene encodes four products of the tachykinin peptide hormone family, substance P and neurokinin A, as well as the related peptides, neuropeptide and neuropeptide gamma. These hormones are thought to function as neurotransmitters which interact with nerve receptors and smooth muscle ce They are known to induce behavioral responses and function as vasodilator and secretagogues. Multiple transcript variants encoding different isoforms	Species Reactivity	Human,Mouse,Rat
cycles.Purification MethodAntigen Affinity PurifiedIsotypeIgGAliastachykinin, precursor 1;TAC1;Hs.2563;NK2;NKNA;NPK;TAC2 ;Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesTAC1Target DetailsThis gene encodes four products of the tachykinin peptide hormone family, substance P and neurokinin A, as well as the related peptides, neuropeptide and neuropeptide gamma. These hormones are thought to function as neurotransmitters which interact with nerve receptors and smooth muscle ca They are known to induce behavioral responses and function as vasodilator and secretagogues. Multiple transcript variants encoding different isoforms for the tachykine of the tachy different isoforms for the tachy different iso	<b>Tested Applications</b>	ELISA,IHC
IsotypeIgGAliastachykinin, precursor 1;TAC1;Hs.2563;NK2;NKNA;NPK;TAC2 ;Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesTAC1Target DetailsThis gene encodes four products of the tachykinin peptide hormone family, substance P and neurokinin A, as well as the related peptides, neuropeptide and neuropeptide gamma. These hormones are thought to function as neurotransmitters which interact with nerve receptors and smooth muscle certagogues. Multiple transcript variants encoding different isoforms between the substance of the tachykina substance of the tachyki	Storage Buffer	PBS with 0.1% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / thaw cycles.
Aliastachykinin, precursor 1;TAC1;Hs.2563;NK2;NKNA;NPK;TAC2 ;Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesTAC1Target DetailsThis gene encodes four products of the tachykinin peptide hormone family, substance P and neurokinin A, as well as the related peptides, neuropeptide and neuropeptide gamma. These hormones are thought to function as neurotransmitters which interact with nerve receptors and smooth muscle central responses and function as vasodilator and secretagogues. Multiple transcript variants encoding different isoforms between the periods.	Purification Method	Antigen Affinity Purified
Product TypePurified Rabbit Anti human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesTAC1Target DetailsThis gene encodes four products of the tachykinin peptide hormone family, substance P and neurokinin A, as well as the related peptides, neuropeptide and neuropeptide gamma. These hormones are thought to function as neurotransmitters which interact with nerve receptors and smooth muscle ce They are known to induce behavioral responses and function as vasodilator and secretagogues. Multiple transcript variants encoding different isoforms h	Isotype	IgG
Immunogen SpeciesHomo sapiens (Human)Target NamesTAC1Target DetailsThis gene encodes four products of the tachykinin peptide hormone family, substance P and neurokinin A, as well as the related peptides, neuropeptide and neuropeptide gamma. These hormones are thought to function as neurotransmitters which interact with nerve receptors and smooth muscle ce They are known to induce behavioral responses and function as vasodilator and secretagogues. Multiple transcript variants encoding different isoforms be	Alias	tachykinin, precursor 1;TAC1;Hs.2563;NK2;NKNA;NPK;TAC2;
Target Names       TAC1         Target Details       This gene encodes four products of the tachykinin peptide hormone family, substance P and neurokinin A, as well as the related peptides, neuropeptide and neuropeptide gamma. These hormones are thought to function as neurotransmitters which interact with nerve receptors and smooth muscle central target are known to induce behavioral responses and function as vasodilator and secretagogues. Multiple transcript variants encoding different isoforms between the secretago of the tachykinin peptide hormone family.	Product Type	Purified Rabbit Anti human PolyClonal Antibody
Target DetailsThis gene encodes four products of the tachykinin peptide hormone family, substance P and neurokinin A, as well as the related peptides, neuropeptide and neuropeptide gamma. These hormones are thought to function as neurotransmitters which interact with nerve receptors and smooth muscle ce They are known to induce behavioral responses and function as vasodilator and secretagogues. Multiple transcript variants encoding different isoforms h	Immunogen Species	Homo sapiens (Human)
substance P and neurokinin A, as well as the related peptides, neuropeptide and neuropeptide gamma. These hormones are thought to function as neurotransmitters which interact with nerve receptors and smooth muscle ce They are known to induce behavioral responses and function as vasodilator and secretagogues. Multiple transcript variants encoding different isoforms h	Target Names	TAC1
	Target Details	<ul> <li>substance P and neurokinin A, as well as the related peptides, neuropeptide K</li> <li>and neuropeptide gamma. These hormones are thought to function as</li> <li>neurotransmitters which interact with nerve receptors and smooth muscle cells.</li> <li>They are known to induce behavioral responses and function as vasodilators</li> <li>and secretagogues. Multiple transcript variants encoding different isoforms have</li> </ul>

1