

🕜 Tel: +1-301-363-4651 🛛 🖂 Email: cusabio@cusabio.com 🥃 Website: www.cusabio.com 🍙

VAMP3 Antibody

 CSB-PA025782GA01HU Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. Q15836 Human VAMP3 Rabbit Human,Mouse,Rat ELISA,WB PBS with 0.1% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / thaw cycles. Antigen Affinity Purified IgG
Q15836 Human VAMP3 Rabbit Human,Mouse,Rat ELISA,WB PBS with 0.1% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / thaw cycles. Antigen Affinity Purified IgG
 Human VAMP3 Rabbit Human,Mouse,Rat ELISA,WB PBS with 0.1% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / thaw cycles. Antigen Affinity Purified IgG
Rabbit Human,Mouse,Rat ELISA,WB PBS with 0.1% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / thaw cycles. Antigen Affinity Purified IgG
Human,Mouse,Rat ELISA,WB PBS with 0.1% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / thaw cycles. Antigen Affinity Purified IgG
 ELISA,WB PBS with 0.1% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / thaw cycles. Antigen Affinity Purified IgG
PBS with 0.1% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / thaw cycles. Antigen Affinity Purified IgG
cycles. Antigen Affinity Purified IgG
IgG
•
vesicle-associated membrane protein 3 (cellubrevin);VAMP3;CEB ;
Purified Rabbit Anti human PolyClonal Antibody
Homo sapiens (Human)
VAMP3
Synaptobrevins/VAMPs, syntaxins, and the 25-kD synaptosomal-associated protein are the main components of a protein complex involved in the docking and/or fusion of synaptic vesicles with the presynaptic membrane. This gene is a member of the vesicle-associated membrane protein (VAMP)/synaptobrevin family. Because of its high homology to other known VAMPs, its broad tissue distribution, and its subcellular localization, This protein was shown to be the human equivalent of the rodent cellubrevin. In platelets the protein resides on a compartment that is not mobilized to the plasma membrane on calcium or

1