

🕜 Tel: +1-301-363-4651 🛛 🖂 Email: cusabio@cusabio.com 🥃 Website: www.cusabio.com 🍙

## DAPK2 Antibody

Product CodeCSB-PA006500GA01HUStorageUpon receipt, store at -20°C or -80°C. Avoid repeated freeze.Uniprot No.Q9UIK4ImmunogenHuman DAPK2-SpecificRaised InRabbitSpecies ReactivityHuman,MouseTested ApplicationsELISA,WBStorage BufferPBS with 0.02% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / thaw cycles.Purification MethodAntigen Affinity purifiedIsotypeIgGAliasdeath-associated protein kinase 2;DAPK2;DRP-1;MGC119312 ;Product TypePurified Rabbit Anti Human PolyClonal AntibodyImmunogen SpeciesDAPK2Target NamesDAPK2Target DetailsThis gene encodes a protein that belongs to the serine/threonine protein kinase associated protein kinase 1 (DAPK1), a positive regulator of programmed cell death. Overexpression of this gene was shown to induce cell apoptosis. It uses multiple polyadenylation sites.		
Uniprot No.Q9UIK4ImmunogenHuman DAPK2-SpecificRaised InRabbitSpecies ReactivityHuman,MouseTested ApplicationsELISA,WBStorage BufferPBS with 0.02% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / thaw cycles.Purification MethodAntigen Affinity purifiedIsotypeIgGAliasdeath-associated protein kinase 2;DAPK2;DRP-1;MGC119312 ;Product TypePurified Rabbit Anti Human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesDAPK2Target DetailsThis gene encodes a protein that belongs to the serine/threonine protein kinase family. This protein contains a N-terminal protein kinase domain followed by a conserved calmodulin-binding domain with significant similarity to that of death- associated protein kinase 1 (DAPK1), a positive regulator of programmed cell death. Overexpression of this gene was shown to induce cell apoptosis. It uses	Product Code	CSB-PA006500GA01HU
ImmunogenHuman DAPK2-SpecificRaised InRabbitSpecies ReactivityHuman,MouseTested ApplicationsELISA,WBStorage BufferPBS with 0.02% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / thaw cycles.Purification MethodAntigen Affinity purifiedIsotypeIgGAliasdeath-associated protein kinase 2;DAPK2;DRP-1;MGC119312 ;Product TypePurified Rabbit Anti Human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesDAPK2Target DetailsThis gene encodes a protein that belongs to the serine/threonine protein kinase family. This protein contains a N-terminal protein kinase domain followed by a conserved calmodulin-binding domain with significant similarity to that of death- associated protein kinase 1 (DAPK1), a positive regulator of programmed cell death. Overexpression of this gene was shown to induce cell apoptosis. It uses	Storage	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Raised InRabbitRaised InRabbitSpecies ReactivityHuman,MouseTested ApplicationsELISA,WBStorage BufferPBS with 0.02% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / thaw cycles.Purification MethodAntigen Affinity purifiedIsotypeIgGAliasdeath-associated protein kinase 2;DAPK2;DRP-1;MGC119312 ;Product TypePurified Rabbit Anti Human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesDAPK2Target DetailsThis gene encodes a protein that belongs to the serine/threonine protein kinase family. This protein contains a N-terminal protein kinase domain followed by a conserved calmodulin-binding domain with significant similarity to that of death- associated protein kinase 1 (DAPK1), a positive regulator of programmed cell death. Overexpression of this gene was shown to induce cell apoptosis. It uses	Uniprot No.	Q9UIK4
Species ReactivityHuman,MouseTested ApplicationsELISA,WBStorage BufferPBS with 0.02% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / thaw cycles.Purification MethodAntigen Affinity purifiedIsotypeIgGAliasdeath-associated protein kinase 2;DAPK2;DRP-1;MGC119312 ;Product TypePurified Rabbit Anti Human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesDAPK2Target DetailsThis gene encodes a protein that belongs to the serine/threonine protein kinase family. This protein contains a N-terminal protein kinase domain followed by a conserved calmodulin-binding domain with significant similarity to that of death- associated protein kinase 1 (DAPK1), a positive regulator of programmed cell death. Overexpression of this gene was shown to induce cell apoptosis. It uses	Immunogen	Human DAPK2-Specific
Tested ApplicationsELISA,WBStorage BufferPBS with 0.02% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / thaw cycles.Purification MethodAntigen Affinity purifiedIsotypeIgGAliasdeath-associated protein kinase 2;DAPK2;DRP-1;MGC119312 ;Product TypePurified Rabbit Anti Human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesDAPK2Target DetailsThis gene encodes a protein that belongs to the serine/threonine protein kinase family. This protein contains a N-terminal protein kinase domain followed by a conserved calmodulin-binding domain with significant similarity to that of death- associated protein kinase 1 (DAPK1), a positive regulator of programmed cell death. Overexpression of this gene was shown to induce cell apoptosis. It uses	Raised In	Rabbit
Storage BufferPBS with 0.02% Sodium Azide, 50% Glycerol, pH 7.320°C, Avoid freeze / thaw cycles.Purification MethodAntigen Affinity purifiedIsotypeIgGAliasdeath-associated protein kinase 2;DAPK2;DRP-1;MGC119312 ;Product TypePurified Rabbit Anti Human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesDAPK2Target DetailsThis gene encodes a protein that belongs to the serine/threonine protein kinase family. This protein contains a N-terminal protein kinase domain followed by a conserved calmodulin-binding domain with significant similarity to that of death- associated protein kinase 1 (DAPK1), a positive regulator of programmed cell death. Overexpression of this gene was shown to induce cell apoptosis. It uses	Species Reactivity	Human,Mouse
thaw cycles.Purification MethodAntigen Affinity purifiedIsotypeIgGAliasdeath-associated protein kinase 2;DAPK2;DRP-1;MGC119312 ;Product TypePurified Rabbit Anti Human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesDAPK2Target DetailsThis gene encodes a protein that belongs to the serine/threonine protein kinase family. This protein contains a N-terminal protein kinase domain followed by a conserved calmodulin-binding domain with significant similarity to that of death- associated protein kinase 1 (DAPK1), a positive regulator of programmed cell death. Overexpression of this gene was shown to induce cell apoptosis. It uses	<b>Tested Applications</b>	ELISA,WB
IsotypeIgGAliasdeath-associated protein kinase 2;DAPK2;DRP-1;MGC119312 ;Product TypePurified Rabbit Anti Human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesDAPK2Target DetailsThis gene encodes a protein that belongs to the serine/threonine protein kinase family. This protein contains a N-terminal protein kinase domain followed by a conserved calmodulin-binding domain with significant similarity to that of death- associated protein kinase 1 (DAPK1), a positive regulator of programmed cell death. Overexpression of this gene was shown to induce cell apoptosis. It uses	Storage Buffer	
Aliasdeath-associated protein kinase 2;DAPK2;DRP-1;MGC119312 ;Product TypePurified Rabbit Anti Human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesDAPK2Target DetailsThis gene encodes a protein that belongs to the serine/threonine protein kinase family. This protein contains a N-terminal protein kinase domain followed by a conserved calmodulin-binding domain with significant similarity to that of death- associated protein kinase 1 (DAPK1), a positive regulator of programmed cell death. Overexpression of this gene was shown to induce cell apoptosis. It uses	Purification Method	Antigen Affinity purified
Product TypePurified Rabbit Anti Human PolyClonal AntibodyImmunogen SpeciesHomo sapiens (Human)Target NamesDAPK2Target DetailsThis gene encodes a protein that belongs to the serine/threonine protein kinase family. This protein contains a N-terminal protein kinase domain followed by a conserved calmodulin-binding domain with significant similarity to that of death- associated protein kinase 1 (DAPK1), a positive regulator of programmed cell death. Overexpression of this gene was shown to induce cell apoptosis. It uses	Isotype	IgG
Immunogen SpeciesHomo sapiens (Human)Target NamesDAPK2Target DetailsThis gene encodes a protein that belongs to the serine/threonine protein kinase family. This protein contains a N-terminal protein kinase domain followed by a conserved calmodulin-binding domain with significant similarity to that of death- associated protein kinase 1 (DAPK1), a positive regulator of programmed cell death. Overexpression of this gene was shown to induce cell apoptosis. It uses	Alias	death-associated protein kinase 2;DAPK2;DRP-1;MGC119312 ;
Target NamesDAPK2Target DetailsThis gene encodes a protein that belongs to the serine/threonine protein kinase family. This protein contains a N-terminal protein kinase domain followed by a conserved calmodulin-binding domain with significant similarity to that of death- associated protein kinase 1 (DAPK1), a positive regulator of programmed cell death. Overexpression of this gene was shown to induce cell apoptosis. It uses	Product Type	Purified Rabbit Anti Human PolyClonal Antibody
Target DetailsThis gene encodes a protein that belongs to the serine/threonine protein kinase family. This protein contains a N-terminal protein kinase domain followed by a conserved calmodulin-binding domain with significant similarity to that of death- associated protein kinase 1 (DAPK1), a positive regulator of programmed cell death. Overexpression of this gene was shown to induce cell apoptosis. It uses	Immunogen Species	Homo sapiens (Human)
family. This protein contains a N-terminal protein kinase domain followed by a conserved calmodulin-binding domain with significant similarity to that of death-associated protein kinase 1 (DAPK1), a positive regulator of programmed cell death. Overexpression of this gene was shown to induce cell apoptosis. It uses	Target Names	DAPK2
	Target Details	family. This protein contains a N-terminal protein kinase domain followed by a conserved calmodulin-binding domain with significant similarity to that of death-associated protein kinase 1 (DAPK1), a positive regulator of programmed cell death. Overexpression of this gene was shown to induce cell apoptosis. It uses

1