



# Recombinant Mouse 40S ribosomal protein S6 (Rps6)

<b>Product Code</b>	CSB-EP020463MO-B
<b>Storage</b>	Store at -20°C, for extended storage, conserve at -20°C or -80°C.
<b>Uniprot No.</b>	P62754
<b>Product Type</b>	Recombinant Protein
<b>Immunogen Species</b>	Mus musculus (Mouse)
<b>Purity</b>	≥85% (SDS-PAGE)
<b>Sequence</b>	MKLNISFPAT GCQKLIEVDD ERKLRTFYEK RMATEVAADA LGEEWKGYYVV RISGGNDKQG FPMKQGVLTG GRVRLLSKQ HSCYRPRRTG ERKRKSVRGC IVDANLSVLN LVIVKKGKED IPGLTDTTVP RRLGPKRASR IRKLFNLSKE DDVRQYVVRK PLNKEGKKPR TKAPKIQRLV TPRVLQHKRR RIALKKQRTK KNKEEAAEYA KLLAKRMKEA KEKRQEQIAK RRRLSSLRAS TSKSESSQK
<b>Source</b>	E.coli
<b>Target Names</b>	Rps6
<b>Protein Names</b>	Recommended name: 40S ribosomal protein S6 Alternative name(s): Phosphoprotein NP33
<b>Expression Region</b>	1-249
<b>Notes</b>	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
<b>Tag Info</b>	Tag type will be determined during the manufacturing process.
<b>Protein Length</b>	Full length protein
<b>Target Details</b>	Ribosomes, the organelles that catalyze protein synthesis, consist of a small 40S subunit and a large 60S subunit. Together these subunits are composed of 4 RNA species and approximately 80 structurally distinct proteins. This gene encodes a cytoplasmic ribosomal protein that is a component of the 40S subunit. The protein belongs to the S6E family of ribosomal proteins. It is the major substrate of protein kinases in the ribosome, with subsets of five C-terminal serine residues phosphorylated by different protein kinases. Phosphorylation is induced by a wide range of stimuli, including growth factors, tumor-promoting agents, and mitogens. Dephosphorylation occurs at growth arrest. The protein may contribute to the control of cell growth and proliferation through the selective translation of particular classes of mRNA. As is typical for genes encoding ribosomal proteins, there are multiple processed pseudogenes of this gene dispersed through the genome.
<b>Reconstitution</b>	We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final



concentration of glycerol is 50%. Customers could use it as reference.

### Shelf Life

The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself.

Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.