



Recombinant Human Disabled homolog 2 (DAB2)

Product Code	CSB-MP006480HU
Storage	Store at -20°C, for extended storage, conserve at -20°C or -80°C.
Uniprot No.	P98082
Product Type	Recombinant Protein
Immunogen Species	Homo sapiens (Human)
Purity	≥85% (SDS-PAGE)
Sequence	<p>SNEVETSAT NGQPQQAAP KAPSKKEKKK GPEKTDEYLL ARFKGDGVKY KAKLIGIDDV PDARGDKMSQ DSMMLKLGMA AAGRSQGQHK QRIWVNISLS GIKIIDEKTG VIEHEHPVNK ISFIARDVTD NRAFQYVCGG EGQHQQFFAIK TGQQAEPVVV DLKDLFQVIY NVKKKEEEKK KIEEASKAVE NGSEALMILD DQTNKLKSGV DQMDLFGDMS TPPDLNSPTE SKDILLVDLN SEIDTNQNSL RENPFLLTNGI TSCSLPRPTP QASFLPENAF SANLNFFPTP NPDPPFRDDPF TQPDQSTPSS FDSLKSPDQK KENSSSSSTP LSNGLPLNGDV DYFGQQFDQI SNRTGKQEAQ AGPWPFSSSQ TQPAVRTQNG VSEREQNGFS VKSSPNPFVG SPPKGLSIQN GVKQDLESSV QSSPHDSIAI IPPPQSTKPG RGRRTAKSSA NDLLASDIFA PPVSEPSGQA SPTGQPTALQ PNPLDLFKTS APAPVGPLVG LGGVTVTLVQ AGPWNTASLV FNQSPSMAPG AMMGGQPSGF SQPVIFGTSP AVSGWNQPSP FFASTPPPVP VWVGPSASVA PNAWSTTSPL GNPFSQNIFF APAVSTQPPS MHSSLLVTPP QPPPRAGPPK DISSDAFTAL DPLGDKEIKD VKEMFKDFQL RQPPAVPARK GEQTSSGTLA AFASYFNSKV GIPQENADHD DFDANQLLNK INEPPKPAPR QVSLPVTKST DNAFENPFFK DSGFGSSQASV ASSQPVSSEM YRDPFGNPFA</p>
Source	Mammalian cell
Target Names	DAB2
Protein Names	Recommended name: Disabled homolog 2 Alternative name(s): DOC-2 Differentially-expressed protein 2
Expression Region	2-770
Notes	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
Tag Info	Tag type will be determined during the manufacturing process.
Protein Length	Full Length of Mature Protein
Target Details	DAB2 mRNA is expressed in normal ovarian epithelial cells but is down-regulated or absent from ovarian carcinoma cell lines. The 770-amino acid predicted protein has an overall 83% identity with the mouse p96 protein, a putative mitogen-responsive phosphoprotein; homology is strongest in the amino-terminal end of the protein in a region corresponding to the phosphotyrosine interaction domain. The down-regulation of DAB2 may play an important role in ovarian carcinogenesis. This gene was initially named DOC2 (for Differentially expressed in Ovarian Cancer) and is distinct from the DOC2A



and DOC2B genes (for double C2-like domains, alpha and beta).

Reconstitution

We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.

Shelf Life

The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself.

Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.