



# Recombinant Human Coagulation factor IX (F9)

<b>Product Code</b>	CSB-EP007936HU-B
<b>Storage</b>	Store at -20°C, for extended storage, conserve at -20°C or -80°C.
<b>Uniprot No.</b>	P00740
<b>Product Type</b>	Recombinant Protein
<b>Immunogen Species</b>	Homo sapiens (Human)
<b>Purity</b>	>85% (SDS-PAGE)
<b>Sequence</b>	<p>YNSG KLEEFVQGNL ERECMEEKCS FEEAREVFEN TERTTEFWKQ  YVDGDQCESN PCLNGGSCCKD DINSYECWCP FGFEGKNCEL DVTCNIKNGR  CEQFCKNSAD NKVVCSCTEG YRLAENQKSC EPAVPFPCGR VSVSQTSLT  RAETVFPDVD YVNSTEAETI LDNITQSTQS FNDFTRVVG EDAKPGQFPW  QVVLNGKVDA FCGGSIVNEK WIVTAAHCVE TGVKITVVAG EHNIEETEHT  EQQRNVIRII PHHNYNAAIN KYNHDIALLE LDEPLVLNSY VTPICIADKE  YTNIFLKFGS GYVSGWGRVF HKGRSALVLQ YLRVPLVDRA TCLRSTKFTI  YNNMFCAGFH EGGRDSCQGD SGGPHVTEVE GTSFLTGIIS  WGEECAMKGK YGIYTKVSRV VNWIKKTKL T</p>
<b>Source</b>	E.coli
<b>Target Names</b>	F9
<b>Protein Names</b>	Recommended name: Coagulation factor IX EC= 3.4.21.22 Alternative name(s): Christmas factor Plasma thromboplastin component Short name= PTC Cleaved into the following 2 chains: 1. Coagulation factor IXa light chain 2. Coa
<b>Expression Region</b>	47-461
<b>Notes</b>	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
<b>Tag Info</b>	Tag type will be determined during the manufacturing process.
<b>Protein Length</b>	Full Length of Mature Protein
<b>Target Details</b>	This gene encodes vitamin K-dependent coagulation factor IX that circulates in the blood as an inactive zymogen. This factor is converted to an active form by factor XIa, which excises the activation peptide and thus generates a heavy chain and a light chain held together by one or more disulfide bonds. The role of this activated factor IX in the blood coagulation cascade is to activate factor X to its active form through interactions with Ca <sup>2+</sup> ions, membrane phospholipids, and factor VIII. Alterations of this gene, including point mutations, insertions and deletions, cause factor IX deficiency, which is a recessive X-linked disorder, also called hemophilia B or Christmas disease.
<b>Reconstitution</b>	We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.



## Shelf Life

The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself.

Generally, the shelf life of liquid form is 6 months at  $-20^{\circ}\text{C}/-80^{\circ}\text{C}$ . The shelf life of lyophilized form is 12 months at  $-20^{\circ}\text{C}/-80^{\circ}\text{C}$ .