



# Recombinant Human Complement decay-accelerating factor (CD55)

<b>Product Code</b>	CSB-BP004945HU
<b>Storage</b>	Store at -20°C, for extended storage, conserve at -20°C or -80°C.
<b>Uniprot No.</b>	P08174
<b>Product Type</b>	Recombinant Protein
<b>Immunogen Species</b>	Homo sapiens (Human)
<b>Purity</b>	>85% (SDS-PAGE)
<b>Sequence</b>	DCGLPP DVPNAQPALE GRTSFPEDTV ITYKCEESFV KIPGEKDSVI CLKGSQWSDI EEFCNRSCEV PTRLNASLQ QPYITQNYFP VGTVVEYECR PGYRREPSLS PKLTCLQNLK WSTAVEFCKK KSCPNPGEIR NGQIDVPGGI LFGATISFSC NTGYKLFGST SSFCLISGSS VQWSDPLPEC REIYCPAPPQ IDNGIIQGER DHYGYRQSVT YACNKGFTMI GEHSIYCTVN NDEGEWGGP PECRGKSLTS KVPPTVQKPT TVNVPTTEVS PTSQKTTTKT TTPNAQATRS TPVSRTTKHF HETTPNKGSG TTS
<b>Source</b>	Baculovirus
<b>Target Names</b>	CD55
<b>Protein Names</b>	Recommended name: Complement decay-accelerating factor Alternative name(s): CD_antigen= CD55
<b>Expression Region</b>	35-353
<b>Notes</b>	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
<b>Tag Info</b>	Tag type will be determined during the manufacturing process.
<b>Protein Length</b>	Full Length of Mature Protein
<b>Target Details</b>	This gene encodes a protein involved in the regulation of the complement cascade. The encoded glycoprotein is also known as the decay-accelerating factor (DAF); binding of DAF to complement proteins accelerates their decay, disrupting the cascade and preventing damage to host cells. Antigens present on the DAF glycoprotein constitute the Cromer blood group system (CROM). Two alternatively spliced transcripts encoding different proteins have been identified. The predominant transcript encodes a membrane-bound protein expressed on cells exposed to plasma component proteins but an alternatively spliced transcript produces a soluble protein present at much lower levels. Additional, alternatively spliced transcript variants have been described, but their biological validity has not been determined.
<b>Reconstitution</b>	We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final



concentration of glycerol is 50%. Customers could use it as reference.

### Shelf Life

The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself.

Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.