



Recombinant Human Transcription factor E2F3 (E2F3)

Product Code	CSB-MP007342HU
Storage	Store at -20°C, for extended storage, conserve at -20°C or -80°C.
Uniprot No.	O00716
Product Type	Recombinant Protein
Immunogen Species	Homo sapiens (Human)
Purity	≥85% (SDS-PAGE)
Sequence	MRKGIQPALE QYLVTAGGGE GAAVVAAAAA ASMDKRALLA SPGFAAAAAA AAAPGAYIQI LTTNTSTTSC SSSLQSGAVA AGPLLPSAPG AEQTAGSLLY TTPHGPSSRA GLLQQPALG RGGSGGGGGP PAKRRLELGE SGHQYLSDGL KTPKGKGRAA LRSPDSPKTP KSPSEKTRYD TSLGLLTKKF IQLLSQSPDG VLDLNKAEEV LKVQKRRIYD ITNVLEGIHL IKKSKNNVQ WMGCSLSEDG GMLAQCQGLS KEVTELSQEE KKLDELIQSC TLDLKLLED SENQRLAYVT YQDIRKISGL KDQTVIVVKA PPETRLEVPD SIESLQIHLA STQGPIEVYL CPEETETHSP MKTNNQDHNG NIPKPASKDL ASTNSGHSDC SVSMGNLSPL ASPANLLQQT EDQIPSNLEG PFVNLLPPLL QEDYLLSLGE EEGISDLFDA YDLEKLPLVE DFMCS
Source	Mammalian cell
Target Names	E2F3
Protein Names	Recommended name: Transcription factor E2F3 Short name= E2F-3
Expression Region	1-465
Notes	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
Tag Info	Tag type will be determined during the manufacturing process.
Protein Length	Full length protein
Target Details	This protein is a member of the E2F family of transcription factors. The E2F family plays a crucial role in the control of cell cycle and action of tumor suppressor proteins and is also a target of the transforming proteins of small DNA tumor viruses. The E2F proteins contain several evolutionarily conserved domains found in most members of the family. These domains include a DNA binding domain, a dimerization domain which determines interaction with the differentiation regulated transcription factor proteins (DP), a transactivation domain enriched in acidic amino acids, and a tumor suppressor protein association domain which is embedded within the transactivation domain. This protein and another 2 members, E2F1 and E2F2, have an additional cyclin binding domain. This protein binds specifically to retinoblastoma protein pRB in a cell-cycle dependent manner.
Reconstitution	We recommend that this vial be briefly centrifuged prior to opening to bring the



contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.

Shelf Life

The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself.

Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.