



# Recombinant Human Regulator of G-protein signaling 14 (RGS14)

<b>Product Code</b>	CSB-YP019646HU
<b>Storage</b>	Store at -20°C, for extended storage, conserve at -20°C or -80°C.
<b>Uniprot No.</b>	O43566
<b>Product Type</b>	Recombinant Protein
<b>Immunogen Species</b>	Homo sapiens (Human)
<b>Purity</b>	≥85% (SDS-PAGE)
<b>Sequence</b>	<p>MPGKPKHLGV PNGRMVLAVS DGELSSTTGP QGQGEGRGSS LSIHSLPSGP  SSPFPTTEEQP VASWALSFER LLQDPLGLAY FTEFLKKEFS AENVTFWKAC  ERFQQIPASD TQQLAQEARN IYQEFLSSQA LSPVNIDRQA WLGEEVLAEP  RPDMFRAQQL QIFNLMKFDS YARFVKSPY RECLLAEAEGR RPLREPGSSR  LGSPDATRKK PKLKPGLSLP LGVEELGQLP PVEGPGGRPL RKSFRRELGG  TANAALRRES QGSLNSSASL DLGFLAFVSS KSESHRKS LG STEGESES RP  GKYCCVYLPD GTASLALARP GLTIRDMLAG ICEKRGLSLP DIKVYLVGNE  QALVLDQDCT VLADQEVRL E NRITFELELT ALERVVRISA KPTKRLQEAL  QPILEKHGLS PLEVVLHRPG EKQPLDLGKL VSSVAAQRLV LDTLPGVKIS  KARDKSPCRS QGCPPRTQDK ATHPPPASPS SLVKVPSSAT GKRQTCDIEG  LVELLNRVQS SGAHDQRGLL RKEDLVLP EF LQLPAQGPSS EETPPQTKSA  AQPIGGSLNS TTDSAL</p>
<b>Source</b>	Yeast
<b>Target Names</b>	RGS14
<b>Protein Names</b>	Recommended name: Regulator of G-protein signaling 14 Short name= RGS14
<b>Expression Region</b>	1-566
<b>Notes</b>	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
<b>Tag Info</b>	Tag type will be determined during the manufacturing process.
<b>Protein Length</b>	Full length protein
<b>Target Details</b>	<p>This gene encodes a member of the regulator of G-protein signaling family. This protein contains one RGS domain, two Raf-like Ras-binding domains (RBDs), and one GoLoco domain. The protein attenuates the signaling activity of G-proteins by binding, through its GoLoco domain, to specific types of activated, GTP-bound G alpha subunits. Acting as a GTPase activating protein (GAP), the protein increases the rate of conversion of the GTP to GDP. This hydrolysis allows the G alpha subunits to bind G beta/gamma subunit heterodimers, forming inactive G-protein heterotrimers, thereby terminating the signal. Alternate transcriptional splice variants of this gene have been observed but have not been thoroughly characterized.</p>
<b>Reconstitution</b>	We recommend that this vial be briefly centrifuged prior to opening to bring the



contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.

### Shelf Life

The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself.

Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.