



Recombinant Chicken Signal transducing adapter molecule 2 (STAM2)

| | |
|--------------------------|--|
| Product Code | CSB-EP022793CH |
| Storage | Store at -20°C, for extended storage, conserve at -20°C or -80°C. |
| Uniprot No. | O93436 |
| Product Type | Recombinant Protein |
| Immunogen Species | Gallus gallus (Chicken) |
| Purity | >85% (SDS-PAGE) |
| Sequence | MPLSASNPFE QDVEKATNEH NNSDWGLIM DICDKVGSTP NGAKDCLKAI MRRVNHKVPV VALQALTLG ACVSNCGRIF HLEVCSRDFE TEARGIINKA HGKVSEKLT LMVEWSEEFQ KDPQCCLISA TIKSLKEEGV TFPAAGSQAT TNAAKNGSSL SKNKEDEDIR KAIELSLQEQ KQQQMETKSL YPSAEIQQTN QNLKVRALY DFEAVEDNEL TFKSGEIVF LDDSDTDWWK GENHRGVGLF PSNFVTSDLN VEPEAATVDN SCVPEDATEE IKKAEPEAVY IDEDKMDKTL QVLQSIDPTD LNLDTDLLDS EVICQQMGPM IDEKLEEIDR KHSELSELN KVLEALELYN KLMNETPMYS AYSKLHHPAQ YPPTSSGVSV QSYVPVPPSG NYMIQGVHQQ TVSQGYGLGP DQMGQLRSLP QNINSSDCNL YTKSNRQRMCMHKAITTWQR FSKHTSER |
| Source | E.coli |
| Target Names | STAM2 |
| Protein Names | Recommended name: Signal transducing adapter molecule 2 Short name= STAM-2 Alternative name(s): Epidermal growth factor receptor-associated protein with SH3 and TAM domain |
| Expression Region | 1-468 |
| Notes | Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week. |
| Tag Info | Tag type will be determined during the manufacturing process. |
| Protein Length | Full length protein |
| Target Details | This protein is closely related to STAM, an adaptor protein involved in the downstream signaling of cytokine receptors, both of which contain a SH3 domain and the immunoreceptor tyrosine-based activation motif (ITAM). Similar to STAM, this protein acts downstream of JAK kinases, and is phosphorylated in response to cytokine stimulation. This protein and STAM thus are thought to exhibit compensatory effects on the signaling pathway downstream of JAK kinases upon cytokine stimulation. |
| Reconstitution | We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final |



concentration of glycerol is 50%. Customers could use it as reference.

Shelf Life

The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself.

Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.