



Recombinant Mouse Signal transducing adapter molecule 2 (Stam2)

Product Code	CSB-EP022793MO-B
Storage	Store at -20°C, for extended storage, conserve at -20°C or -80°C.
Uniprot No.	O88811
Product Type	Recombinant Protein
Immunogen Species	Mus musculus (Mouse)
Purity	≥85% (SDS-PAGE)
Sequence	MPLFTANPFE QDVEKATNEY NTTEDWSLIM DICDRVGSTP SGAKDCLKAI MKRVNHKVPV VALQALTLG ACVANC GKIF HLEVCSR DFA TEVRSVIK NK AHPKVCEK LK SLMVEWSEEF QKDPQFSLIS ATIKSMKEEG VTFPSAGSQT VAAA AKN GTS LNKNKEDEDI AKAI ELSLQE QKQQYTETKA LYPPAESQLN NKAARRVRAL YDFEAVEDNE LTFKHGELIT VLDDSDANWW QGENHRGTGL FPSNFVTTDL STEVETATVD KLNVIDDDVE EIKKSEPEPV YIDEGKMDRA LQILQSIDPK ESKPDSQDLL DLEDVCQQMG PMIDEKLEEI DRKHSELSEL NVKVL EALDL YNKL VNEAPV YSVY SKLHPA HYPPAAAGVP VQTY PVQSHG GNYLGHGIHQ VSVAQNYNLG PDPMGSLRSL PPNMNSVTAH TVQPPYLSTG QD TVSNPSYM NQSSRLQAAA GTAAYTQPVG MSTDVSSFQN TASGLPQLAG FPAVAPVA AQPQASYHQQ PLL
Source	E.coli
Target Names	Stam2
Protein Names	Recommended name: Signal transducing adapter molecule 2 Short name= STAM-2 Alternative name(s): Hrs-binding protein
Expression Region	1-523
Notes	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
Tag Info	Tag type will be determined during the manufacturing process.
Protein Length	Full length protein
Target Details	This protein is closely related to STAM, an adaptor protein involved in the downstream signaling of cytokine receptors, both of which contain a SH3 domain and the immunoreceptor tyrosine-based activation motif (ITAM). Similar to STAM, this protein acts downstream of JAK kinases, and is phosphorylated in response to cytokine stimulation. This protein and STAM thus are thought to exhibit compensatory effects on the signaling pathway downstream of JAK kinases upon cytokine stimulation.
Reconstitution	We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final



concentration of glycerol is 50%. Customers could use it as reference.

Shelf Life

The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself.

Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.