



Recombinant Human Cytochrome P450 2A6 (CYP2A6), partial

Product Code	CSB-BP006410HU
Storage	Store at -20°C, for extended storage, conserve at -20°C or -80°C.
Uniprot No.	P11509
Product Type	Recombinant Protein
Immunogen Species	Homo sapiens (Human)
Purity	≥85% (SDS-PAGE)
Sequence	SKGKLPPGPTPLPFIGNYLQLNTEQMYNSLMKISERYGPVFTIHLGPRRVVLC GHDAVREALVDQAEFSGRGEQATFDWVFKGYGVVFSNGERAKQLRRFSIAT LRDFGVGKRGIEERIQQEAGFLIDALRGTGGANIDPTFFLSRTVSNVISSIVFGD RFDYKDKFELSLLRMMLGIFQFTSTSTGQLYEMFSSVMKHLPGPQQQAFQLL QGLEDFAKKVEHNQRTLDPNSPRDFIDSFLIRMQEEKPNTEFYLNLMVMTT LNLFIGGTETVSTTLRYGFLLLMKHPEVEAKVHEEIDRVIGKNRQPKFEDRAKM PYMEAVIHEIQRFGDVIPMSLARRVKKDTKFRDFFLPKGTEVFPMLGSVLRDPS FFSNPQDFNPQHFLNEKGQFKKSDAFVPSIGKRNCFGEGGLARMELFLFFTTV MQNFRLKSSQSPKIDIVSPKHVGFATIPRNYTMSFLPR
Source	Baculovirus
Target Names	CYP2A6
Protein Names	Recommended name: Cytochrome P450 2A6 EC= 1.14.14.1 Alternative name(s): CYP1A6 Coumarin 7-hydroxylase Cytochrome P450 IIA3 Cytochrome P450(I)
Expression Region	29-494
Notes	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
Tag Info	Tag type will be determined during the manufacturing process.
Protein Length	Partial
Target Details	This gene, CYP2A6, encodes a member of the cytochrome P450 superfamily of enzymes. The cytochrome P450 proteins are monooxygenases which catalyze many reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. This protein localizes to the endoplasmic reticulum and its expression is induced by phenobarbital. The enzyme is known to hydroxylate coumarin, and also metabolizes nicotine, aflatoxin B1, nitrosamines, and some pharmaceuticals. Individuals with certain allelic variants are said to have a poor metabolizer phenotype, meaning they do not efficiently metabolize coumarin or nicotine. This gene is part of a large cluster of cytochrome P450 genes from the CYP2A, CYP2B and CYP2F subfamilies on chromosome 19q. The gene was formerly referred to as CYP2A3; however, it has been renamed CYP2A6.
Reconstitution	We recommend that this vial be briefly centrifuged prior to opening to bring the



contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.

Shelf Life

The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself.

Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.