



# Recombinant Rabbit Interstitial collagenase (MMP1)

<b>Product Code</b>	CSB-EP014656RB-B
<b>Storage</b>	Store at -20°C, for extended storage, conserve at -20°C or -80°C.
<b>Uniprot No.</b>	P13943
<b>Product Type</b>	Recombinant Protein
<b>Immunogen Species</b>	Oryctolagus cuniculus (Rabbit)
<b>Purity</b>	>85% (SDS-PAGE)
<b>Sequence</b>	FV LTPGNPRWEQ THLTYRIENY TPDLSRADVD NAIEKAFQLW SNVTPLTFTK VSKGQADIMI SFVRGDHRDN SPFDGPEGQL AHAFQPGLGI GGDVHFDEDD RWTKDFRNYN LYRVAACHELG HSLGLSHSTD IGALMYPNYM FSGDVQLAQD DIDGIQAIYG PSQNPSQPVG PQTPKVCDSK LTFDAITTIR GEIMFFKDRF YMRANPYYSE VELNFISVFW PHLPNGLQAA YEVAHRDEIL FFKGNKYWTV QGQNELPGYP KDIHSSFGFP RSVNHIDAAV SEEDTGKTYF FVANKYWRYD EYKRSM DAGY PKMIEYDFPG IGNKVDVAVFK KDGFFYFFHG TRQYKFDPKT KRILTLQKAN SWFNCRKN
<b>Source</b>	E.coli
<b>Target Names</b>	MMP1
<b>Protein Names</b>	Recommended name: Interstitial collagenase EC= 3.4.24.7 Alternative name(s): Matrix metalloproteinase-1 Short name= MMP-1
<b>Expression Region</b>	99-468
<b>Notes</b>	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
<b>Tag Info</b>	Tag type will be determined during the manufacturing process.
<b>Protein Length</b>	Full Length of Mature Protein
<b>Target Details</b>	Proteins of the matrix metalloproteinase (MMP) family are involved in the breakdown of extracellular matrix in normal physiological processes, such as embryonic development, reproduction, and tissue remodeling, as well as in disease processes, such as arthritis and metastasis. Most MMP s are secreted as inactive proproteins which are activated when cleaved by extracellular proteinases. This gene encodes a secreted enzyme which breaks down the interstitial collagens, types I, II, and III. The gene is part of a cluster of MMP genes which localize to chromosome 11q22.3. Alternative splicing results in multiple transcript variants.
<b>Reconstitution</b>	We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.



## Shelf Life

The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself.

Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.