



# Recombinant Pig Cytochrome P450 2E1 (CYP2E1)

<b>Product Code</b>	CSB-EP006425PI-B
<b>Storage</b>	Store at -20°C, for extended storage, conserve at -20°C or -80°C.
<b>Uniprot No.</b>	P79383
<b>Product Type</b>	Recombinant Protein
<b>Immunogen Species</b>	Sus scrofa (Pig)
<b>Purity</b>	≥85% (SDS-PAGE)
<b>Sequence</b>	TALGITVAL LVWLVTLLLI SIWKHIHSSW KLPPGPFPLP IVGNIFQLDL KNIPKSFTML AERYGPVFTV YLGSRRIVVL HGYKAVKEVL LHYKNEFSGR GEIPTFQVHK DKGVIFNNGP TWRDTRRFSL TTLRDFGMGK QGNEQRIQRE AHFLLEALRK THGQFPDPTF LIGCAPCNCVI SDILFRQHFD YNDKTCLRLM SMFNENFYLL STGWIQLYNN FSGYLRYPG SHRKLMKNIS EIKDYALERV KDHRDSLEPS CPRDFTDTLL MEMEKEKYSA EPIYTLDNA VTVADMFFAG TETTSTTLRY GLLILMKYPE VEEKLHEEID RVIGPNRIPA IKDRLVMPYL DAVVHEIQRF IDLIPSNLPH EATRDTDFRD YIIPKGTVVI PTLDSVLYDS QEFPEPEKFK PEHFLNENGG FKYSDHFKAF SAGKRVCVGE GLARMELFLF MAAILQHFNL KSLVDPKID LSPAIAGFAK IPPHYKLCVI PRSQV
<b>Source</b>	E.coli
<b>Target Names</b>	CYP2E1
<b>Protein Names</b>	Recommended name: Cytochrome P450 2E1 EC= 1.14.13.- Alternative name(s): 4-nitrophenol 2-hydroxylase EC= 1.14.13.n7 CYP11E1 Cytochrome P-450-J Short name= Cytochrome P450-J
<b>Expression Region</b>	2-495
<b>Notes</b>	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
<b>Tag Info</b>	Tag type will be determined during the manufacturing process.
<b>Protein Length</b>	Full Length of Mature Protein
<b>Target Details</b>	This gene encodes a member of the cytochrome P450 superfamily of enzymes. The cytochrome P450 proteins are monooxygenases which catalyze many reactions involved in drug metabolism and synthesis of cholesterol, steroids and other lipids. This protein localizes to the endoplasmic reticulum and is induced by ethanol, the diabetic state, and starvation. The enzyme metabolizes both endogenous substrates, such as ethanol, acetone, and acetal, as well as exogenous substrates including benzene, carbon tetrachloride, ethylene glycol, and nitrosamines which are premutagens found in cigarette smoke. Due to its many substrates, this enzyme may be involved in such varied processes as gluconeogenesis, hepatic cirrhosis, diabetes, and cancer.
<b>Reconstitution</b>	We recommend that this vial be briefly centrifuged prior to opening to bring the



contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.

---

**Shelf Life**

The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself.

Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.