



Recombinant Pan troglodytes Mitogen-activated protein kinase 13 (MAPK13)

Product Code	CSB-EP013452EQV-B
Abbreviation	MAPK13
Storage	The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.
Uniprot No.	Q9N272
Product Type	Recombinant Protein
Immunogen Species	Pan troglodytes (Chimpanzee)
Purity	>85% (SDS-PAGE)
Sequence	MSLIRKKGIFY KQDVNKXXXE LXKTYVSPTH VGSGAYGSVC SAIDKRSGEK VAIKKLSRPF QSEIFAKRAY RELLLLKHMV HENVIGLLDV FTPASSLRNF HDFYLVXFM QTDLQKIMXM EFSEEKIQYL VYQMLKGLKY IHSAGVVHRD LKPGNLAVNE DCELKILDFG LARHADAEMT GYVVTRWYRA PEVILSWMHY NQTVDIWSVG CIMAEMLTGK TLFKGGDYLD QLTQILKVTG VPGTEFVQKL NDXAAKSYIQ SLPQTPRKDF TQLFPRASPQ AADLLEKMLE LDVDKRLTAA QALTHPFFEP FRDPEEETEA QQPFDSDLEH EKLTVDEWKQ HIYKEIVNFS PIARKDSRRR XGXXL
Source	E.coli
Target Names	MAPK13
Protein Names	Recommended name: Mitogen-activated protein kinase 13 Short name= MAP kinase 13 Short name= MAPK 13 EC= 2.7.11.24 Alternative name(s): Stress-activated protein kinase 4
Expression Region	1-365
Notes	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
Tag Info	Tag type will be determined during the manufacturing process.
Protein Length	full length protein
Reconstitution	We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.
Shelf Life	The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life



of lyophilized form is 12 months at -20°C/-80°C.