



Recombinant Bovine Vasodilator-stimulated phosphoprotein (VASP)

Product Code	CSB-YP025797BO
Abbreviation	VASP
Storage	The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.
Uniprot No.	Q2TA49
Product Type	Recombinant Protein
Immunogen Species	Bos taurus (Bovine)
Purity	>85% (SDS-PAGE)
Sequence	SETVVCTSRATVMLYDDSNKRWLPAGTGPQAFSRVQIYHNPTANSFRVVGRK MQPDQQVV INCAIVRGVKYNQATPNFHQWRDARQVWGLNFGSKEDATQFANGMASALEAL EGGGPLPP PPPTAPPTWSAQNGPSPEEMEQQKRQQQSELMERERRASNAGGPPAASAG APPPPPGPPP PPGPPPPGLSSSGVSAATQGAGGGPPPAPPLPTAQGPSGGGTGAPSLASAI AGAKLRKV SKQEEASAGPVAPKAESSRSTGGGLMEEMNAMLARRRKATQVGEKPAKDES ANQEESDAR VPAHSESVRRPWEKNSTTLPRMKSSSVTTSEAHPATPSSSDESDLERVKQE LLEEVRKE LQKVKEEIIIEAFVQELRKRGP
Source	Yeast
Target Names	VASP
Protein Names	Recommended name: Vasodilator-stimulated phosphoprotein Short name= VASP
Expression Region	2-383
Notes	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
Tag Info	Tag type will be determined during the manufacturing process.
Protein Length	Full Length of Mature Protein
Target Details	Vasodilator-stimulated phosphoprotein (VASP) is a member of the Ena-VASP protein family. Ena-VASP family members contain an EHV1 N-terminal domain that binds proteins containing E/DFPPPPXD/E motifs and targets Ena-VASP proteins to focal adhesions. In the mid-region of the protein, family members have a proline-rich domain that binds SH3 and WW domain-containing proteins. Their C-terminal EVH2 domain mediates tetramerization and binds both G and F



actin. VASP is associated with filamentous actin formation and likely plays a widespread role in cell adhesion and motility. VASP may also be involved in the intracellular signaling pathways that regulate integrin-extracellular matrix interactions. VASP is regulated by the cyclic nucleotide-dependent kinases PKA and PKG.

Reconstitution

We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.

Shelf Life

The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself.

Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.