



# Recombinant Human 26S proteasome non-ATPase regulatory subunit 5 (PSMD5)

<b>Product Code</b>	CSB-EP618074HU-B
<b>Abbreviation</b>	PSMD5
<b>Storage</b>	The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.
<b>Uniprot No.</b>	Q16401
<b>Product Type</b>	Recombinant Protein
<b>Immunogen Species</b>	Homo sapiens (Human)
<b>Purity</b>	>85% (SDS-PAGE)
<b>Sequence</b>	AAQALALLR EVARLEAPLE ELRALHSVLQ AVPLNELRQQ AAELRLGPLF SLLNENHREK TTLCVSILER LLQAMEPVHV ARNLRVDLQR GLIHPDDSVK ILTLSQIGRI VENSDAVTEI LNNAELLKQI VYCIGGENLS VAKAAIKSLS RISLTQAGLE ALFESNLLDD LKSVMKTNDI VRYSRVYELII EISSVSPEL NYCTTSGGLVT QLLRELTGED VLVSRATCIEM VTSLAYTHHG RQYLAQEGVI DQISNIIVGA DSDPFSSFYI PGFVKFFGNL AVMDSPQQIC ERYPIFVEKV FEMIESQDPT MIGVAVDTVG ILGSNVEGKQ VLQKTGTRFE RLLMRIGHQS KNAPVELKIR CLDAISSLLY LPPEQQTDDL LRMTESWFSS LSRDPLELFR GISSQPFPEL HCAALKVFTA IANQPWAQKL MFNSPGFVEY VVDRSVEHDK ASKDAKYELV KALANSKTIA EIFGNPNYLR LRTYLSEGPY YVKPVSTTAV EGAE
<b>Source</b>	E.coli
<b>Target Names</b>	PSMD5
<b>Protein Names</b>	Recommended name: 26S proteasome non-ATPase regulatory subunit 5 Alternative name(s): 26S protease subunit S5 basic 26S proteasome subunit S5B
<b>Expression Region</b>	2-504
<b>Notes</b>	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
<b>Tag Info</b>	Tag type will be determined during the manufacturing process.
<b>Protein Length</b>	Full Length of Mature Protein
<b>Target Details</b>	The 26S proteasome is a multicatalytic proteinase complex with a highly ordered structure composed of 2 complexes, a 20S core and a 19S regulator. The 20S core is composed of 4 rings of 28 non-identical subunits; 2 rings are composed of 7 alpha subunits and 2 rings are composed of 7 beta subunits. The 19S regulator is composed of a base, which contains 6 ATPase subunits and 2 non-ATPase subunits, and a lid, which contains up to 10 non-ATPase subunits.



Proteasomes are distributed throughout eukaryotic cells at a high concentration and cleave peptides in an ATP/ubiquitin-dependent process in a non-lysosomal pathway. An essential function of a modified proteasome, the immunoproteasome, is the processing of class I MHC peptides. This gene encodes a non-ATPase subunit of the 19S regulator base.

---

**Reconstitution**

We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.

---

**Shelf Life**

The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself.

Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.