



# Recombinant Human 6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase 1 (PFKFB1)

|                          |   |
|--------------------------|---|
| <b>Product Code</b>      | CSB-BP017817HU  |
| <b>Storage</b>           | Store at -20°C, for extended storage, conserve at -20°C or -80°C.   |
| <b>Uniprot No.</b>       | P16118  |
| <b>Product Type</b>      | Recombinant Protein   |
| <b>Immunogen Species</b> | Homo sapiens (Human)  |
| <b>Purity</b>            | >85% (SDS-PAGE)   |
| <b>Sequence</b>          | SPEMGELTQ TRLQKIWIPH SSGSSRLQRR RGSSIPQFTN SPTMVIMVGL<br>PARGKTYIST KLTRYLNWIG TPTKVFNLGQ YRREAVSYKN YEFFLPDNME<br>ALQIRKQCAL AALKDVHNYL SHEEGHVAVF DATNTTRERR SLILQFAKEH<br>GYKVFFIESI CNDPGIIAEN IRQVKLGSPD YIDCDREKVL EDFLKRIECY<br>EVNYQPLDEE LDSHLSYIKI FDVGTRYMVN RVQDHIQSRT VYYLMNIHVT<br>PRSIYLCRHG ESELNIRGRI GGDSGLSVRG KQYAYALANF IQSQGISSLK<br>VWTSHMKRTI QTAEALGVPY EQWKALNEID AGVCEEMTYE EIQEHYPEEF<br>ALRDQDKYRY RYPKGESYED LVQRLEPVIM ELERQENVLV ICHQAVMRCCL<br>LAYFLDKSSD ELPYLKCPH TVLKLTPVAY GCKVESIYLN VEAVNTHREK<br>PENVDITREP EEALDTPAH Y |
| <b>Source</b>            | Baculovirus   |
| <b>Target Names</b>      | PFKFB1  |
| <b>Protein Names</b>     | Recommended name: 6-phosphofructo-2-kinase/fructose-2,6-bisphosphatase 1<br>Short name= 6PF-2-K/Fru-2,6-P2ase 1 Short name= PFK/FBPase 1 Alternative<br>name(s): 6PF-2-K/Fru-2,6-P2ase liver isozyme Including the following 2<br>domains:  |
| <b>Expression Region</b> | 2-471   |
| <b>Notes</b>             | Repeated freezing and thawing is not recommended. Store working aliquots at<br>4°C for up to one week.  |
| <b>Tag Info</b>          | Tag type will be determined during the manufacturing process.   |
| <b>Protein Length</b>    | Full Length of Mature Protein   |
| <b>Target Details</b>    | This gene encodes a member of the family of bifunctional 6-phosphofructo-2-<br>kinase:fructose-2,6-bisphosphatase enzymes. The enzyme forms a homodimer<br>that catalyzes both the synthesis and degradation of fructose-2,6-bisphosphate<br>using independent catalytic domains. Fructose-2,6-bisphosphate is an activator<br>of the glycolysis pathway and an inhibitor of the gluconeogenesis pathway.<br>Consequently, regulating fructose-2,6-bisphosphate levels through the activity of<br>this enzyme is thought to regulate glucose homeostasis.       |
| <b>Reconstitution</b>    | We recommend that this vial be briefly centrifuged prior to opening to bring the<br>contents to the bottom. Please reconstitute protein in deionized sterile water to a<br>concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final   |



concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.

---

**Shelf Life**

The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself.

Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.