



Recombinant Bovine Cysteine protease ATG4B (ATG4B)

Product Code	CSB-EP754291BO-B
Abbreviation	ATG4B
Storage	The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.
Uniprot No.	Q6PZ03
Product Type	Recombinant Protein
Immunogen Species	Bos taurus (Bovine)
Purity	>85% (SDS-PAGE)
Sequence	MDAATLTYDT LRFAEFEDFP ETSEPVWILG RKYSVLTEKD EILADVASRL WFTYRKNFPA IGGTGPTS DT GWGCM LRCGQ MIFAQALVCR HLGRDWRWTQ RKRQPDSYCS VLQAF LDRKD SCYSIHQIAQ MGVGEGKSIG QWYGPNTVAQ VLKKLAVFDT WSALAVHVAM DNTVVMADIR RLCRSSLPCA GAEAFPADSE RHCNGFPAGA EGGGRAAPWR PLVLLIPLRL GLADVNAAYA GTLKHCFRMP QSLGVIGGKP NSAHYFIGYV GEELIYLDPH TTQPAVAAAD RCPVPDES FH CQHPPGRMSI AELDPSIAVG FFCETEDDFN DWCQQVSKLS LLGGALPMFE LVEQQPSHLA CPDVLNLSLD SSSDAERLERF FDSEDED FEI LSL
Source	E.coli
Target Names	ATG4B
Protein Names	Recommended name: Cysteine protease ATG4B EC= 3.4.22.- Alternative name(s): Autophagy-related cysteine endopeptidase 2B Short name= Autophagin-2B Autophagy-related protein 4 homolog B bAut2B
Expression Region	1-393
Notes	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
Tag Info	Tag type will be determined during the manufacturing process.
Protein Length	full length protein
Target Details	Autophagy is the process by which endogenous proteins and damaged organelles are destroyed intracellularly. Autophagy is postulated to be essential for cell homeostasis and cell remodeling during differentiation, metamorphosis, non-apoptotic cell death, and aging. Reduced levels of autophagy have been described in some malignant tumors, and a role for autophagy in controlling the unregulated cell growth linked to cancer has been proposed. This gene encodes a member of the autophagin protein family. The encoded protein is also designated as a member of the C-54 family of cysteine proteases. Alternate



transcriptional splice variants, encoding different isoforms, have been characterized.

Reconstitution

We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.

Shelf Life

The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.