



Recombinant Mouse Phosphatidylinositol 3-kinase regulatory subunit alpha (Pik3r1)

Product Code	CSB-YP018003MO
Storage	Store at -20°C, for extended storage, conserve at -20°C or -80°C.
Uniprot No.	P26450
Product Type	Recombinant Protein
Immunogen Species	Mus musculus (Mouse)
Purity	>85% (SDS-PAGE)
Sequence	<p>SAEGYQYRA LYDYKKEREE DIDLHLGDIL TVNKGSLVAL GFSDGQEARP EDIGWLNQYN ETTGERGDFP GTYVEYIGRK RISPTPKPR PPRPLPVAPG SSKTEADTEQ QALPLPDIAE QFAPPDVAPP LLIKLEAIE KKGLECSTLY RTQSSSNPAE LRQLLDCDAA SVDLEMIDVH VLADAFKRYL ADLPNPVIPV AVYNEMMSLA QELQSPEDCI QLLKKLIRLP NIPHQCWLTL QYLLKHFFKL SQASSKNLLN ARVLSEIFSP VLFRFPAASS DNTEHLIKAI EILISTEWNE RQPAPALPPK PPKPTTVANN SMNNNMSLQD AEWYWGDISR EEVNEKLRDT ADGTFLVRDA STKMHGDTL TLRKGGNNKL IKIFHRDGKY GFSDPLTFNS VVELINHYRN ESLAQYNPKL DVKLLYPVSK YQQDQVVKED NIEAVGKKLH EYNTQFQEKs REYDRLYEEY TRTSQEIQMK RTAIEAFNET IKIFEEQCQT QERYSKEYIE KFKREGNEKE IQRIMHNHDK LKSRISEIID SRRRLEEDLK KQAAEYREID KRMNSIKPDL IQLRKTRDQY LMWLTQKGVR QKKLNEWLGN ENTEDQYSLV EDDDLPHHD EKTWNVGGSS RNKAENLLRG KRDGTFLVRE SSKQGCYACS VVDGGEVKHC VINKTATGYG FAEPYNLYSS LKELVLHYQH TSLVQHNDL NVTLAYPVYA QQRR</p>
Source	Yeast
Target Names	Pik3r1
Protein Names	Recommended name: Phosphatidylinositol 3-kinase regulatory subunit alpha Short name= PI3-kinase regulatory subunit alpha Short name= PI3K regulatory subunit alpha Short name= PtdIns-3-kinase regulatory subunit alpha Alternative na
Expression Region	2-724
Notes	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
Tag Info	Tag type will be determined during the manufacturing process.
Protein Length	Full Length of Mature Protein
Target Details	Phosphatidylinositol 3-kinase phosphorylates the inositol ring of phosphatidylinositol at the 3-prime position. The enzyme comprises a 110 kD catalytic subunit and a regulatory subunit of either 85, 55, or 50 kD. This gene encodes the 85 kD regulatory subunit. Phosphatidylinositol 3-kinase plays an important role in the metabolic actions of insulin, and a mutation in this gene has been associated with insulin resistance. Alternative splicing of this gene results



in three transcript variants encoding different isoforms.

Reconstitution

We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.

Shelf Life

The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.