



# Recombinant Human Caspase-10 (CASP10)

<b>Product Code</b>	CSB-MP838815HU
<b>Abbreviation</b>	CASP10
<b>Storage</b>	The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.
<b>Uniprot No.</b>	Q92851
<b>Product Type</b>	Recombinant Protein
<b>Immunogen Species</b>	Homo sapiens (Human)
<b>Purity</b>	>85% (SDS-PAGE)
<b>Sequence</b>	V KTFLEALPQE SWQNKHAGSN GNRATNGAPS LVSRGMQGAS ANTLNSETST KRAAVYRMNR NHRGLCVIVN NHSFTSLKDR QGTHKDAEIL SHVFQWLGFV VHIHNNVTKV EMEMVLQKQK CNPAHADGDC FVFCILTHGR FGAVYSSDEA LIPIREIMSH FTALQCPRLA EKPKLFFIQA CQGEEIQPSV SIEAD
<b>Source</b>	Mammalian cell
<b>Target Names</b>	CASP10
<b>Protein Names</b>	Recommended name: Caspase-10 Short name= CASP-10 EC= 3.4.22.63 Alternative name(s): Apoptotic protease Mch-4 FAS-associated death domain protein interleukin-1B-converting enzyme 2 Short name= FLICE2 ICE- like apoptotic
<b>Expression Region</b>	220-415
<b>Notes</b>	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
<b>Tag Info</b>	Tag type will be determined during the manufacturing process.
<b>Protein Length</b>	Full Length of Mature Protein
<b>Target Details</b>	This gene encodes a protein which is a member of the cysteine-aspartic acid protease (caspase) family. Sequential activation of caspases plays a central role in the execution-phase of cell apoptosis. Caspases exist as inactive proenzymes which undergo proteolytic processing at conserved aspartic residues to produce two subunits, large and small, that dimerize to form the active enzyme. This protein cleaves and activates caspases 3 and 7, and the protein itself is processed by caspase 8. Mutations in this gene are associated with apoptosis defects seen in type II autoimmune lymphoproliferative syndrome. Three alternatively spliced transcript variants encoding different isoforms have been described for this gene.
<b>Reconstitution</b>	We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final



concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.

---

**Shelf Life**

The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself.

Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.