



Recombinant Human Dual specificity protein phosphatase 9 (DUSP9)

Product Code	CSB-YP859528HU
Abbreviation	DUSP9
Storage	The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.
Uniprot No.	Q99956
Product Type	Recombinant Protein
Immunogen Species	Homo sapiens (Human)
Purity	>85% (SDS-PAGE)
Sequence	MEGLGRSCLW LRRELSPPRP RLLLLDCRSR ELYESARIGG ALSVALPALL LRRLRRGSLV VRALLPGPPL QPPPPAPVLL YDQGGGRRRR GEAEAEAEW EAESVLGTLT QKLREEGYLA YYLQGGFSRF QAECPHLCET SLAGRAGSSM APVPGPVPVV GLGSLCLGSD CSDAESEADR DSMSCGLDSE GATPPPVGLR ASFPVQILPN LYLGSARDSA NLESLAKLGI RYILNVTPNL PNFFEKNGDF HYKQIPISDH WSQNLSRFFP EAIEFIDEAL SQNCGVLVHC LAGVSRSVTV TVAYLMQKLH LSLNDAYDLV KRKKSNI SPN FNFMGQLLDF ERSLRLEERH SQEQSGGGQA SAASNPPSFF TTPTSDGAFE LAPT
Source	Yeast
Target Names	DUSP9
Protein Names	Recommended name: Dual specificity protein phosphatase 9 EC= 3.1.3.16 EC= 3.1.3.48 Alternative name(s): Mitogen-activated protein kinase phosphatase 4 Short name= MAP kinase phosphatase 4 Short name= MKP-4
Expression Region	1-384
Notes	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
Tag Info	Tag type will be determined during the manufacturing process.
Protein Length	full length protein
Target Details	This protein is a member of the dual specificity protein phosphatase subfamily. These phosphatases inactivate their target kinases by dephosphorylating both the phosphoserine/threonine and phosphotyrosine residues. They negatively regulate members of the mitogen-activated protein (MAP) kinase superfamily (MAPK/ERK, SAPK/JNK, p38), which is associated with cellular proliferation and differentiation. Different members of the family of dual specificity phosphatases show distinct substrate specificities for various MAP kinases, different tissue distribution and subcellular localization, and different modes of inducibility of their expression by extracellular stimuli. This gene product shows selectivity for



members of the ERK family of MAP kinases, is expressed only in placenta, kidney, and fetal liver, and is localized to the cytoplasm and nucleus.

Reconstitution

We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.

Shelf Life

The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.