



# Recombinant Human Hypoxia-inducible factor 3-alpha (HIF3A)

<b>Product Code</b>	CSB-EP896696HU
<b>Abbreviation</b>	HIF3A
<b>Storage</b>	The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself. Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.
<b>Uniprot No.</b>	Q9Y2N7
<b>Product Type</b>	Recombinant Protein
<b>Immunogen Species</b>	Homo sapiens (Human)
<b>Purity</b>	>85% (SDS-PAGE)
<b>Sequence</b>	MALGLQRARS TTELKREKSR DAARSRRSQE TEVLYQLAHT LPFARGVSAH LDKASIMRLT ISYLRMHRLC AAGEWNQVGA GGEPLDACYL KALEGFVMVL TAEGDMAYLS ENVSKHLGLS QLELIGHSIF DFIHPCDQEE LQDALTPQQT LSRRKVEAPT ERCFSLRMKS TLTSRGRTL N LKAATWKVLN CSGHMRAYKP PAQTSPAGSP DSEPPLQCLV LICEAIPHPG SLEPPLGRGA FLSRHS LDMK FTYCDDRIAE VAGYSPDDLI GCSAYEYIHA LDSDAVSKSI HTLLSKGQAV TGQYRFLARS GGYLWTQTQA TVVSGGRGPQ SESIVCVHFL ISQVEETGVV LSLEQTEQHS RRPIQRGAPS QKDTPNPGDS LDTPGPRILA FLHPPSLSEA ALAADPRRFC SPDLRRLG P ILDGASVAAT PSTPLATRHP QSPLSADLPD ELPVGTENVH RLFTSGKDTE AVETDL DIAQ DADALDLEML APYISMDDDF QLNASEQLPR AYHRPLGAVP RPRARSFHGL SPPALEPSLL PRWGSDPRLS CSSPSRGDPS ASSPMAGARK RTLAQSSSEDE DEGVELLGVR PPKRSPSPEH ENFLFPLSL SFLLTGGPAP GSLQDPSTPL LNLNEPLGLG PSELLSPYSDE DTTQPGGPFQ PRAGSAQAD
<b>Source</b>	E.coli
<b>Target Names</b>	HIF3A
<b>Protein Names</b>	Recommended name: Hypoxia-inducible factor 3-alpha Short name= HIF-3-alpha Short name= HIF3-alpha Alternative name(s): Basic-helix-loop-helix-PAS protein MOP7 Class E basic helix-loop-helix protein 17 Short name= bHLHe17
<b>Expression Region</b>	1-669
<b>Notes</b>	Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.
<b>Tag Info</b>	Tag type will be determined during the manufacturing process.
<b>Protein Length</b>	full length protein
<b>Target Details</b>	This protein is the alpha-3 subunit of one of several alpha/beta-subunit heterodimeric transcription factors that regulate many adaptive responses to low oxygen tension (hypoxia). The alpha-3 subunit lacks the transactivation domain



found in factors containing either the alpha-1 or alpha-2 subunits. It is thought that factors containing the alpha-3 subunit are negative regulators of hypoxia-inducible gene expression. At least three transcript variants encoding three different isoforms have been found for this gene.

---

**Reconstitution**

We recommend that this vial be briefly centrifuged prior to opening to bring the contents to the bottom. Please reconstitute protein in deionized sterile water to a concentration of 0.1-1.0 mg/mL. We recommend to add 5-50% of glycerol (final concentration) and aliquot for long-term storage at -20°C/-80°C. Our default final concentration of glycerol is 50%. Customers could use it as reference.

---

**Shelf Life**

The shelf life is related to many factors, storage state, buffer ingredients, storage temperature and the stability of the protein itself.

Generally, the shelf life of liquid form is 6 months at -20°C/-80°C. The shelf life of lyophilized form is 12 months at -20°C/-80°C.